Predpisy notifikované v Dohode o technických prekážkach obchodu (TBT WTO) 03. týždeň roku 2024

| Číslo/Dátum | Notifikujúca strana | Charakteristika notifikácie | Pripomienková Doba |
|---------------------------------------|------------------------|---|-----------------------|
| <u>G/TBT/N/JAM/121</u> 15/01/2024 | Jamaica | <i>Roofs (ICS code(s): 91.060.20)</i> Draft Jamaican Standard Specification for Hot-dip zinc coated, hot-dip aluminium-zinc coated and hot-dip zinc alloyed with aluminium and magnesium coated, profiled and formed steel sheets and tiles for roofing. This standard specifies the requirements for materials, profiles and dimensions of hot-dip zinc coated, hot-dip aluminium-zinc coated and zinc alloyed with aluminium and magnesium coated, profiled and formed steel sheets and tiles for roofing. | 14/03/2024 |
| <u>G/TBT/N/JAM/122</u> 15/01/2024 | Jamaica | <i>Coffee and coffee substitutes (ICS code(s): 67.140.20)</i> Standard Specification for Coffee. This standard prescribes the requirements for local and imported "coffee" as defined below. Coffee is the fruits, products and by-products of (coffea spp.). | 19/03/2024 |
| <u>G/TBT/N/KEN/1560</u> 15/01/2024 | Kenya | <i>Cheese (ICS code(s): 67.100.30)</i> DARS 1073:2023 Cheese— Specification This Draft African Standard specifies the requirements, sampling and test methods for cheese intended for direct human consumption or further processing. This general standard applies in addition to any further specifications for individual varieties of cheese, or groups of varieties of cheese which is a subject of specific African Standard designated by a specific name. | 15/03/2024 |
| <u>G/TBT/N/KEN/1561</u> 15/01/2024 | Kenya | Milk and milk products (ICS code(s): 67.100); Animal and vegetable fats and oils (ICS code(s): 67.200.10) DARS 1072:2023 Blend of Skimmed Milk and Vegetable Fat in Powdered form — Specification This African Standard specifies requirements, sampling and test methods for a blend of skimmed milk and vegetable fat in powder form or reduced / medium fat blend variety, intended for direct consumption or for further processing. | 15/03/2024 |
| <u>G/TBT/N/KEN/1562</u> 15/01/2024 | Kenya | Cheese (ICS code(s): 67.100.30) DARS 1076:2023 Extra hard grating cheeses — Specification This Standard specifies requirements, sampling and test methods for extra hard grating cheeses, intended for direct consumption or further processing | 15/03/2024 |
| <u>G/TBT/N/KEN/1563</u> 15/01/2024 | Kenya | Cheese (ICS code(s): 67.100.30) DARS 1078:2023 Group Standard for un-ripened cheese including fresh cheese — Specification. This Standard applies to the requirements, sampling and test methods for un-ripened cheese including fresh cheese, intended for direct consumption or further processing. Subject to the provisions of this Standard, ARSO Standards for individual varieties of un-ripened cheese may contain provisions, which are more specific than those in this Standard and in these cases; those specific provisions shall apply | 15/03/2024 |

| <u>G/TBT/N/KEN/1564</u> 15/01/2024 | Kenya | <i>Cheese (ICS code(s): 67.100.30)</i> DARS 1079:2023 Cheeses in Brine — Specification This draft African Standard specifies the requirements, sampling and test methods for Cheeses in Brine, intended for direct consumption or further processing, in conformity with the description in Clause 3 of this Standard.Subject to the provisions of this Group Standard, African Standards for individual varieties of Cheeses in Brine may contain provisions which are more specific than those in this Standard. | 15/03/2024 |
|---------------------------------------|---------|---|------------|
| <u>G/TBT/N/KEN/1565</u> 15/01/2024 | Kenya | <i>Cheese (ICS code(s): 67.100.30)</i> DARS 1080:2023 Processed Cheese — Specification This African Standard specifies requirements, sampling and test methods for processed cheese intended for direct consumption or further processing | 15/03/2024 |
| <u>G/TBT/N/KEN/1566</u> 15/01/2024 | Kenya | <i>Milk and milk products (ICS code(s): 67.100)</i> DARS 1095:2023 Evaporated Milks — Specification This African Standard specifies requirements, sampling and test methods for evaporated milks, intended for direct consumption, or further processing | 15/03/2024 |
| <u>G/TBT/N/KEN/1568</u> 15/01/2024 | Kenya | <i>Fruits and derived products (ICS code(s): 67.080.10)</i> KS 2473:2023 Coco peat — Specification. This Kenya Standard specifies the requirements, test methods and sampling for coco peat for agricultural and industrial applications.Coco peat products (also known as coir pith or coir peat) for use as a growing medium in various grades and finished products for horticultural/agricultural use e.g. grow slabs, grow bags, bales, blocks, discs, pots, starter cubes and small blocks. Coco peat as used in this standard includes the products known as "chips" and "crush", derived from the wholechopped and crushed husk pieces. Product may be compressed or non-compressed.This standard does not cover the requirements for importation of the following plant commodity classes | 15/03/2024 |
| <u>G/TBT/N/UKR/281</u> 15/01/2024 | Ukraine | railway rolling stock and railway infrastructure draft Resolution of the Cabinet of Ministers of Ukraine "On Amendments to Paragraph 2 of the Resolution of the Cabinet of Ministers of Ukraine of 26 January 2022 No. 53" Paragraph 2 of the Resolution of the Cabinet of Ministers of Ukraine No. 53 "On Amendments to the Technical Regulation on railway infrastructure safety and the Technical Regulation on railway rolling stock safety" of 26 January 2022, which was published on 03 February 2022, provides that the said Resolution shall enter into force twenty-four months after its publication, i.e. on 03 February 2024. The draft Resolution of the Cabinet of Ministers of Ukraine "On Amendments to Paragraph 2 of the Resolution of the Cabinet of Ministers of Ukraine of 26 January 2022 No. 53" provides to replace the words "twenty-four months" with the words "thirty months", i.e. to postpone the entry into force of the Resolution of the Cabinet of Ministers of Ukraine No. 53 of 26 January 2022 by six months. | 15/03/2024 |

15/01/2024

draft Order of the Ministry of Health of Ukraine "On Approval of Amendments to the Annexes to the Medicines Quality Certification Procedure for International Trade and Confirmation for Exported Active Pharmaceutical Ingredients"

the draft Order provides for amendments to the Annexes to the Medicines Quality Certification Procedure for International Trade and Confirmation for Exported Active Pharmaceutical Ingredients, approved by the Order of the Ministry of Health of Ukraine No. 1310 of 25 July 2022 document G/TBT/N/UKR/216, (notified in G/TBT/N/UKR/216/Add.1). These amendments are aimed at implementing into the national legislation the model certificate of a pharmaceutical product (CPP) recommended by WHO Expert Committee on Specifications for Pharmaceutical Preparations (WHO Technical Report Series 1033, WHO 2021), which, in particular, contains information on International Nonproprietary Name (INN). brand name of the pharmaceutical product as it is declared in the marketing authorization certificate and used within the territory of the exporting country and, if possible, the brand name of the pharmaceutical product in the importing country.Adoption of the amendments will ensure the right to receive high-quality, effective and safe medicines through the cooperation with other countries in the framework of mutual supply of medicines; improve and simplify the procedure for certifying of the quality of medicines for international trade and confirming active pharmaceutical ingredients that are exported.

G/TBT/N/USA/2087 15/01/2024 United States of America

Wireless emergency alerts; Domestic safety (ICS code(s): 13.120); Alarm and warning systems (ICS code(s): 13.320) Emergency Alert System; Wireless Emergency Alerts Einclarde Line this document the Eddard Communications

Final rule - In this document, the Federal Communications Commission

(Commission) adopts rules for commercial mobile service providers that have elected to participate in the Wireless Emergency Alert system (WEA) (Participating CMS Providers) to support WEA messages in the 13 most commonly spoken languages in the U.S. as well as English and American Sign Language. Participating CMS Providers are to support this expanded multilingual alerting by enabling mobile devices to display message templates that will be pre-installed and stored on the mobile device. The Commission also directs its Public Safety and Homeland Security Bureau to seek comment on various implementation details of the multilingual alerting requirements and future expansion to additional languages. In addition, to help personalize emergency alerts, the Commission requires participating wireless providers to support the inclusion of maps in WEA messages that show the alert recipient's location relative to the geographic area where the emergency is occurring, and establishes a Commission-hosted database to provide the public with easy-to-access information on WEA availability. Wireless providers will be required to supply information on whether they participate in WEA and, if so, the extent of WEA availability in their service area and on the mobile devices that they sell. Last, to support more effective WEA performance and public awareness, the

amended rules enable alerting authorities to send two local WEA tests per year that the public receives by default, provided that the alerting authority takes steps to ensure that the public is aware that the test is, in fact, only a test.

G/TBT/N/USA/2088 15/01/2024

United States *Plastic packaging; Quality (ICS code(s): 03.120);* of America Environmental protection (ICS code(s): 13.020); Recycling (ICS code(s): 13.030.50); Packaging materials and accessories (ICS code(s): 55.040); Bottles. Pots. Jars (ICS code(s): 55.100); Plastics (ICS code(

SB 54 Plastic Pollution Prevention and Packaging **Producer Responsibility Act Regulations**

Proposed rule - CalRecycle has released the draft regulatory text for the implementation of SB 54 (Allen, Chapter 75, Statutes of 2022) and will host a questions and answers session. During this session, CalRecycle will present an overview of SB 54, the upcoming rulemaking process, the draft regulatory text, and will endeavor to answer clarifying questions from the public. More detail, including a detailed agenda, will be forthcoming through the listservCalRecycle aims to provide the public with ample time to review and prepare comments for the forthcoming 45-day comment period, which will open in the coming months when CalRecycle initiates the formal rulemaking process. Further information accessible at Plastic Pollution Prevention and Packaging Producer Responsibility Act SB 54: https://calrecycle.ca.gov/packaging/packaging-epr/Date and time of the session, which will take place in person or via Zoom, and Spanish translation will be available

Date: 1 February 2024 (subject to change)

Time: 10:00 a.m. to 02:00 p.m.Pacific TimeIn-Person Location: Byron Sher Auditorium (1001 I Street, 2nd Floor, Sacramento, CA 95812)

G/TBT/N/USA/2089 15/01/2024

of America

United States Motor vehicle emission standards; Environmental 05/02/2024 protection (ICS code(s): 13.020); Air quality (ICS code(s): 13.040); Road vehicles in general (ICS code(s): 43.020); Road vehicle systems (ICS code(s): 43.040)

Chapter 127-A: Advanced Clean Cars II Program (Reposting)

Proposed rule - In response to a citizen petition, this new rule was proposed (refer to proposed rule number 2023-P101) to establish motor vehicle emission standards for new passenger cars, light-duty trucks, and medium-duty vehicles by incorporating the requirements of the California Advanced Clean Cars II regulations, beginning model year 2027.A public hearing on the proposed Chapter 127-A was held on 17 August 2023, and the comment period closed on 28 August 2023. A final vote on the proposed rule was scheduled for the Board meeting on 21 December 2023, however, due to the state of emergency resulting from the 18 December storm, that meeting was cancelled. This prevented a Board vote on whether to adopt the proposed rule, and forced any potential adoption beyond the rule's proposed effective date of 1 January 2024. This also prevents the rule from taking effect in time to apply to the 2027 model year. Therefore, the proposed rule has been amended to begin with model year 2028, and the Department is now requesting comments from the public concerning this substantive

| | | change. The Department has also proposed other non- substantive changes to the proposal. | |
|--|-----------------------------|---|------------|
| <u>G/TBT/N/USA/2090</u> 15/01/2024 | United States of America | Portable electric spas; Air purifiers; Commercial dishwashers; Commercial steam cookers; Faucets; Residential ventilating fans; Showerheads; Spray sprinkler bodies; Urinals; Water closets; Water coolers; Quality (ICS code(s): 03.120); Environmental protec Proposed Maryland Strategic Energy Investment Program Regulations Proposed rule - The purpose of this action is to implement the Efficiency Standards Act by establishing minimum efficiency standards for certain new products sold or installed in the State and to establish testing, certification, inspection, and enforcement procedures for ensuring compliance with established standards. | 29/03/2024 |
| <u>G/TBT/N/PHL/322</u> 16/01/2024 | Philippines | Product and company certification. Conformity assessment (ICS code(s): 03.120.20) "Draft Implementing Guidelines on the Schedule of Fees and Charges of the Food and Drug Administration for Licensing, Registration and Other Authorizations and Regulatory Services Repealing Administrative Order No. 50s. 2001, entitled, "Revised 2001 Sched The rate of fees and charges of the Food and Drug Administration has been referred to the Administrative Order No. 50 s.2001 or the Revised 2001 Schedule of Fees and Charges for the Corresponding Services Rendered by the Bureau of Food and Drugs. After more than twenty years, the FDA is restructuring its fees and charges at a level commensurate with the cost of regulating health products, establishments or facilities to protect consumer safety and public health. | 15/03/2024 |
| G/TBT/N/ARE/600, G/TBT/N/BHR/686 G/TBT/N/KWT/666, G/TBT/N/QAT/664, G/TBT/N/SAU/1320 G/TBT/N/YEM/271 17/01/2024 | Bahrain, Kingdom of | Pressure vessels (ICS code(s): 23.020.30) Gulf Technical Regulation on Simple Pressure Vessels This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics: (a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired; (b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys; (c) the vessel is made of either of the following elements: i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part; ii -two dished ends revolving around the same axis. (d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS × V) does not exceed 10 000 bar.L; (e) the minimum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels. | 17/03/2024 |

| | | | (a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;(b) vessels specifically intended for installation in or the propulsion of ships and aircraft;(c) fire extinguishers. | |
|---|--------------------|-------|--|------------|
| <u>G/TBT/N/HKG/56</u> 17/01/2024 | Hong China | Kong, | Air-conditioning and refrigeration equipment, and fire suppression system, that contains or is designed to operate on any hydrofluorocarbons (HFCs) as listed below:Room air-conditioner (split type or window type, with rated cooling capacity Household refr Consultation document on Proposal to Regulate and Phase Down Hydrofluorocarbons for Implementation of the Kigali Amendment to the Montreal Protocol The proposal sets out different control strategies which facilitates HFC phasedown, and supports an orderly and smooth transition to the use of low Global Warming Potential (GWP) alternatives. One of the strategies is to introduce a new regulation to prohibit the import, manufacture, supply and sale of those equipment and products using HFCs with GWP greater than the prescribed limit. | 17/03/2024 |
| <u>G/TBT/N/ISR/1303</u> 17/01/2024 | Israel | | Vacuum cleaners and water-suction cleaning electrical appliances SI 60335 part 2.2 - Household and similar electrical appliances – Safety: Particular requirements for vacuum cleaners and water-suction cleaning appliances Revision of the Mandatory Standard SI 900 part 2.2, dealing with vacuum cleaners and water-suction cleaning electrical appliances, to be replaced with SI 60335 part 2.2. This draft standard revision adopts the International Standard IEC 60335-2-2 - Edition 7.0: 2019-05, with a few changes that appear in the standard's Hebrew section as follows:Changes the normative references;Adds a new national section 201 dealing with rated values;Adds a new national section 202 dealing with electromagnetic compatibility. | 17/03/2024 |
| <u>G/TBT/N/ISR/1304</u> 17/01/2024 | Israel | | Release of lead and cadmium from ceramic and glass tableware SI 1003 part 1.2 - Release of lead and cadmium from ware in contact with food: Ceramic ware, glass-ceramic ware and glass dinnerware - Permissible limits First amendment to the Mandatory Standard SI 1003 part 1.2. This amendment changes the labelling requirements based on Article 15 – Labelling of the European Regulation EC 1935/2004. | 17/03/2024 |
| <u>G/TBT/N/ISR/1305</u> 17/01/2024 | Israel | | Release of lead and cadmium from glass hollowware SI 1003 part 3.2 - Release of lead and cadmium from ware in contact with food: Glass hollowware - Permissible limits Second amendment to the Mandatory Standard SI 1003 part 3.2. This amendment changes the labelling requirements and is based on Article 15, Labelling, of the European Regulation EC 1935/2004. | 17/03/2024 |
| G/TBT/N/ARE/600, G/TBT/N/BHR/686 G/TBT/N/KWT/666, | Kuwait State of | | Pressure vessels (ICS code(s): 23.020.30) Gulf Technical Regulation on Simple Pressure Vessels | 17/03/2024 |

<u>G/TBT/N/OMN/514</u> <u>G/TBT/N/QAT/664,</u> <u>G/TBT/N/SAU/1320</u> <u>G/TBT/N/YEM/271</u> 17/01/2024 1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics:

(a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired;

(b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys;

(c) the vessel is made of either of the following elements:

i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part;

ii -two dished ends revolving around the same axis.

(d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS \times V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50 °C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels.

2. This Technical Regulation shall not apply to:

(a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;

(b) vessels specifically intended for installation in or the propulsion of ships and aircraft;

(c) fire extinguishers.

Pressure vessels (ICS code(s): 23.020.30) Gulf Technical Regulation on Simple Pressure Vessels

17/03/2024

1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics:

(a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired;

(b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys;

(c) the vessel is made of either of the following elements:

i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part;

ii -two dished ends revolving around the same axis.

(d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS \times V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50 °C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels.

2. This Technical Regulation shall not apply to:

(a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;

(b) vessels specifically intended for installation in or the propulsion of ships and aircraft;

(c) fire extinguishers.

G/TBT/N/ARE/600, G/TBT/N/BHR/686 G/TBT/N/KWT/666, G/TBT/N/OMN/514 G/TBT/N/QAT/664, G/TBT/N/SAU/1320 G/TBT/N/YEM/271 17/01/2024 Oman

G/TBT/N/ARE/600. G/TBT/N/BHR/686 G/TBT/N/KWT/666, G/TBT/N/OMN/514 G/TBT/N/QAT/664, G/TBT/N/SAU/1320 G/TBT/N/YEM/271 17/01/2024

Qatar

Kingdom of

Gulf Technical Regulation on Simple Pressure Vessels

1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics:

(a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired;

(b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys;

(c) the vessel is made of either of the following elements:

i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part;

ii -two dished ends revolving around the same axis.

(d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS \times V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50°C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels.

2. This Technical Regulation shall not apply to:

(a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;

(b) vessels specifically intended for installation in or the propulsion of ships and aircraft;

(c) fire extinguishers.

17/03/2024

G/TBT/N/ARE/600, G/TBT/N/BHR/686 G/TBT/N/KWT/666, G/TBT/N/OMN/514 G/TBT/N/QAT/664, G/TBT/N/SAU/1320 G/TBT/N/YEM/271 17/01/2024

Saudi Arabia, Pressure vessels (ICS code(s): 23.020.30) **Gulf Technical Regulation on Simple Pressure Vessels** 1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics:

(a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0.5 bar and to contain air or nitrogen, and are not intended to be fired;

(b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys;

(c) the vessel is made of either of the following elements:

i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part;

ii -two dished ends revolving around the same axis.

(d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS \times V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50°C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels.

2. This Technical Regulation shall not apply to:

(a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;

(b) vessels specifically intended for installation in or the propulsion of ships and aircraft;

(c) fire extinguishers.

<u>G/TBT/N/UKR/283</u> 17/01/2024 fruit jams, jellies, marmalades, sweetened chestnut puree draft Order of Ministry of Agrarian Policy and Food of Ukraine "On Approval of the Requirements for Fruit Jams, Jellies, Marmalades and Sweetened Chestnut Puree"

the draft Order provides for the approval of Requirements for fruit jams, jellies, marmalades and sweetened chestnut puree, including the procedure of methods of preparation and processing of fruit raw materials for the production of fruit jams, jellies and marmalades and chestnut purees with added sugar intended for human consumption. According to these Requirements, certain quality indicators for fruit jams, jellies, marmalades, sweetened chestnut puree are established in order to ensure that consumers are properly informed about the properties of these food products, including their labelling, and to prevent business practices that mislead consumers. These Requirements do not apply to ingredients intended for the manufacture of bakery products, pastries or biscuits. The draft Order also stipulates that fruit jams, jellies, marmalades and sweetened chestnut puree that comply with the requirements in force before the entry into force of this Order, but do not meet the Requirements for fruit jams, jellies, marmalades and sweetened chestnut puree approved by this Order, may be placed on the market for three years from the date of entry into force of this Order. Such food products may be placed on the market until the final date of consumption or the expiry of the minimum shelf life.The draft Order developed in order to implement EU legislation. The draft Order is also notified under the SPS Agreement.

United A Emirates

Ukraine

United Arab *Pressure vessels (ICS code(s): 23.020.30)*

17/03/2024

Gulf Technical Regulation on Simple Pressure Vessels 1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics:

(a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired;

(b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys;

(c) the vessel is made of either of the following elements:

i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part;

ii -two dished ends revolving around the same axis.

(d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS \times V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50 °C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels.

2. This Technical Regulation shall not apply to:

(a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity;

<u>G/TBT/N/ARE/600,</u> <u>G/TBT/N/BHR/686</u> <u>G/TBT/N/KWT/666,</u> <u>G/TBT/N/OMN/514</u> <u>G/TBT/N/QAT/664,</u> <u>G/TBT/N/SAU/1320</u> <u>G/TBT/N/YEM/271</u> 17/01/2024

| | | (b) vessels specifically intended for installation in or the propulsion of ships and aircraft;(c) fire extinguishers. | |
|--|-----------------------------|---|------------|
| <u>G/TBT/N/USA/2091</u> 17/01/2024 | United States of America | Infant support cushions; Quality (ICS code(s): 03.120); Domestic safety (ICS code(s): 13.120); Test conditions and procedures in general (ICS code(s): 19.020); Equipment for children (ICS code(s): 97.190) Safety Standard for Infant Support Cushions Notice of proposed rulemaking - The Danny Keysar Child Product Safety Notification Act, section 104 of the Consumer Product Safety Improvement Act of 2008 (CPSIA), requires the U.S. Consumer Product Safety Commission (Commission or CPSC) to promulgate consumer product safety standards for durable infant or toddler products. Under this statutory direction, the Commission is proposing a safety standard for infant support cushions. The Commission is also proposing to amend CPSC's consumer registration requirements to identify infant support cushions as durable infant or toddler products and proposing to amend CPSC's list of notices of requirements (NORs) to include infant support cushions. | 18/03/2024 |
| G/TBT/N/ARE/600, G/TBT/N/BHR/686 G/TBT/N/KWT/666, G/TBT/N/QAT/664, G/TBT/N/YAT/664, G/TBT/N/YEM/271 17/01/2024 | Yemen | Pressure vessels (ICS code(s): 23.020.30) Gulf Technical Regulation on Simple Pressure Vessels 1. This GCC Technical Regulation is concerned with simple pressure vessels ('vessels') manufactured in series with the following characteristics: (a) the vessels are welded, intended to be subjected to an internal gauge pressure greater than 0,5 bar and to contain air or nitrogen, and are not intended to be fired; (b) the parts and assemblies contributing to the strength of the vessel under pressure are made either of non-alloy quality steel or of non-alloy aluminium or non-age hardening aluminium alloys; (c) the vessel is made of either of the following elements: i -a cylindrical part of circular cross-section closed by outwardly dished and/or flat ends which revolve around the same axis as the cylindrical part; ii -two dished ends revolving around the same axis. (d) the maximum working pressure of the vessel does not exceed 30 bar and the product of that pressure and the capacity of the vessel (PS × V) does not exceed 10 000 bar.L; (e) the minimum working temperature is no lower than -50° C and the maximum working temperature is not higher than 300 °C for steel and 100 °C for aluminium or aluminium alloy vessels. 2. This Technical Regulation shall not apply to: (a) vessels specifically designed for nuclear use, failure of which may cause an emission of radioactivity; (b) vessels specifically intended for installation in or the propulsion of ships and aircraft; (c) fire extinguishers. | 17/03/2024 |
| <u>G/TBT/N/EU/1042</u> 18/01/2024 | European Union | Hazardous substances Draft Commission Delegated Regulation amending Regulation (EC) No 1272/2008 of the European Parliament and of the Council as regards the harmonised classification and labelling of certain substances | 18/03/2024 |

| | | The purpose of this draft proposal for an adaptation to technical progress of Regulation (EC) 1272/2008 on classification, labelling and packaging of substances and mixtures (the CLP Regulation) is to amend Table 3 of Part 3 of Annex VI to the CLP Regulation, by introducing new and revised entries for the harmonised classification and labelling of 42 substances or substance groups and by deleting one entry. | |
|---------------------------------------|----------|---|------------|
| <u>G/TBT/N/ISR/1306</u> 19/01/2024 | Israel | <i>Toys</i> SI 562 part 3 - Safety of toys: Migration of certain chemical elements Revision of the Mandatory Standard SI 562 part 3, dealing with the migration of certain chemical elements from toys. This draft standard revision adopts the European Standard EN-71-3: 2019 + A1: April 2021, with a few changes that appear in the standard's Hebrew section. Both the old standard and this new revised standard will apply from entry into force of this revision for 12 months. During this time, products may be tested according to the old or the new revised standard. | 19/03/2024 |
| <u>G/TBT/N/KEN/1569</u> 19/01/2024 | Kenya | Milk and milk products (ICS code(s): 67.100) DARS 1096:2023 Milk Powders and Cream Powder — Specification This African Standard specifies requirements, sampling and test methods for milk powders and cream powder, intended for direct consumption or further processing. | 19/03/2024 |
| <u>G/TBT/N/TZA/1091</u> 19/01/2024 | Tanzania | Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1099:2023, Good Warehousing Practice for bagged grains, First Edition. This Code covers warehouse and warehousing practices relevant to handling, and storage and transport of bagged cereals and pulses specifically for food consumption. It also considers the provisions of the Good Agricultural Practices (GAP) and Good Manufacturing Practices (GMP) to ensure food safety, quality of produce and worker's health, safety and welfare. | 19/03/2024 |
| <u>G/TBT/N/TZA/1092</u> 19/01/2024 | Tanzania | Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1098: 2023, Agricultural Structures – Warehouses for the storage of bagged grains, First Edition. This standard specifies the requirements for warehouses for bag type storage of cereals and pulses. It does not include storage for seeds. | 19/03/2024 |
| <u>G/TBT/N/TZA/1093</u> 19/01/2024 | Tanzania | Cereal flours (excl. wheat, meslin and maize) (HS code(s): 110290); Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1350:2023, Teff flour — Specification, First edition.Note: This Draft African Standard was also notified under SPS committee This African standard specifies the requirements and methods of sampling and test for teff flour prepared from teff grains (Eragrostis tef) that include all the classifications magna (very white), nech (white), quey (brown) and sergegna (mixed) for human consumption. | 19/03/2024 |

| <u>G/TBT/N/TZA/1094</u> 19/01/2024 | Tanzania | Cereals (excl. wheat and meslin, rye, barley, oats, maize, rice, grain sorghum, buckwheat, millet, canary seeds, fonio, quinoa and triticale) (HS code(s): 100890); Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1351:2023, Teff Grain – Specification, First Edition. Note: This Draft African Standard was also notified under SPS committee This African Standard specifies the requirements and methods of sampling and test for teff grain(Eragrosties teff) for human consumption. | 19/03/2024 |
|---------------------------------------|----------|---|------------|
| <u>G/TBT/N/TZA/1095</u> 19/01/2024 | Tanzania | Cereals (excl. wheat and meslin, rye, barley, oats, maize, rice, grain sorghum, buckwheat, millet, canary seeds, fonio, quinoa and triticale) (HS code(s): 100890); Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1349:2023, Amaranth grains – Specification, First edition.Note: This Draft African Standard was also notified under SPS committee This African Standard specifies the requirements and methods of sampling and test of whole grains of amaranth (Amaranthus. hypochondaricus and A. cruentus and any other variety duly approved as a grain amaranth species) intended for human consumption. | 19/03/2024 |
| <u>G/TBT/N/TZA/1096</u> 19/01/2024 | Tanzania | Cereal flours (excl. wheat, meslin and maize) (HS code(s): 110290); Cereals, pulses and derived products (ICS code(s): 67.060) DARS 1348:2023, Amaranth flour — Specification, First editionNote: This Draft African Standard was also notified under SPS committee This African standard specifies the requirements and methods of sampling and test for flour prepared from dried grain obtained from amaranth plant (Amaranthus caudutus, A.hypochondaricus, A.cruentus and any other variety duly approved as a grain amaranth species) intended for human consumption. | 19/03/2024 |