

**Predpisy notifikované v Dohode o technických prekážkach obchodu (TBT WTO)**  
**24. týždeň roku 2025**

Číslo/Dátum	Notifikujúca strana	Charakteristika notifikácie	Pripomienková doba
<a href="#">G/TBT/N/BDI/608</a> 10/06/2025	Burundi	<i>Cereals, pulses and derived products (ICS code(s): 67.060)</i> <b>Fortified wheat flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified wheat flour;</b> This East African Standard specifies the requirements, sampling and test methods for fortified wheat flour prepared from common wheat ( <i>Triticum aestivum</i> L.), club wheat ( <i>T. compactum</i> Host.) or a mixture thereof intended for human consumption.	09/08/2025
<a href="#">G/TBT/N/BDI/609</a> 10/06/2025	Burundi	<i>Cereals, pulses and derived products (ICS code(s): 67.060)</i> <b>DEAS 1206: 2024, Geometrical design of roads — Code of practice</b> This East African Standard specifies the requirements, sampling and test methods for fortified milled maize (corn) products prepared from the grains of common maize ( <i>Zea mays</i> L.) intended for human consumption.	09/08/2025
<a href="#">G/TBT/N/BDI/610</a> 10/06/2025	Burundi	<i>Cereals, pulses and derived products (ICS code(s): 67.060)</i> <b>Fortified composite flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified composite flour;</b> This East African Standard specifies requirements, sampling and test methods for fortified composite flourintended for human consumption.	09/08/2025
<a href="#">G/TBT/N/BDI/611</a> 10/06/2025	Burundi	<i>Road engineering in general (ICS code(s): 93.080.01)</i> <b>DEAS 1206: 2024, Geometrical design of roads — Code of practice;</b> This Draft East African Standard provides general guidelines for geometrical design of roads.It is applicable to all mobility and access roads of Class 1, Class 2, Class 3, Class 4 and Class 5 as explained in 5.1.	09/08/2025
<a href="#">G/TBT/N/CHN/2058</a> 10/06/2025	China	<i>Civil unmanned aircraft (HS code(s): 8806); (ICS code(s): 49.025)</i> <b>National Standard of the P.R.C., Unique product identification code for civil unmanned aircraft</b> This document specifies the coding rules for the unique product identification code of the entire civil unmanned aircraft, the registration and filing, the product packaging identification, the body surface identification, storage and security, broadcasting and reporting requirements. This document applies to the product management of micro, light, small, medium and large civil unmanned aircraft.This document does not apply to model aircraft and flight toys with self-contained power systems.	09/08/2025
<a href="#">G/TBT/N/CHN/2059</a> 10/06/2025	China	<i>Parent eggs of silkworm (Bombyx mori.) (HS code(s): 051199); (ICS code(s): 65.020.30)</i> <b>National Standard of the P.R.C., The parent eggs of silkworm (Bombyx Mori.);</b>	09/08/2025

This document specifies the quality indicators, testing methods, and evaluation rules for parent eggs of silkworm (*Bombyx mori*). This document applies to parent eggs of silkworm intended for production and sale.

<a href="#">G/TBT/N/CHN/2060</a> 10/06/2025	China	<p><i>Overflow cutoff valves for liquefied petroleum gas cylinders (HS code(s): 8481); (ICS code(s): 23.020.30)</i></p> <p><b>National Standard of the P.R.C., Overflow cutoff valves for liquefied petroleum gas cylinders</b></p> <p>This document specifies the model designation, structural types and basic dimensions, technical requirements, inspection and test methods, inspection rules, marking, packaging, storage, and transportation for the overflow cutoff valves for liquefied petroleum gas cylinders. This document applies to liquefied petroleum gas cylinder valves with an ambient temperature range of -40°C to +60°C, a nominal working pressure not exceeding 2.5MPa, a volume not exceeding 150L, and the medium conforming to GB 11174. Valves with the centerline of the inlet and outlet at a 90-degree angle are referred to as "angle valves," while those at a 180-degree angle are referred to as "straight valves." This document does not apply to valves for automotive liquefied petroleum gas cylinders.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2061</a> 10/06/2025	China	<p><i>Valves for liquefied dimethyl ether cylinders (HS code(s): 8481); (ICS code(s): 23.020.30)</i></p> <p><b>National Standard of the P.R.C., Valves for liquefied dimethyl ether cylinders;</b></p> <p>This document specifies the terms and definitions, model designation, design requirements, technical requirements, inspection and test methods, inspection rules, marking, packaging, and storage and transportation of valves for liquefied dimethyl ether cylinders. This document applies to valves for liquefied dimethyl ether cylinders with an ambient temperature range of -40°C to +60°C, a nominal working pressure of 1.6MPa, a nominal volume not exceeding 150L, and the medium conforms in accordance with GB 25035. This document does not apply to valves for automotive liquefied dimethyl ether cylinders.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2062</a> 10/06/2025	China	<p><i>Liquefied dimethyl ether steel gas cylinders (HS code(s): 7311); (ICS code(s): 23.020.30)</i></p> <p><b>National Standard of the P.R.C., Liquefied dimethyl ether steel gas cylinders;</b></p> <p>This document specifies the requirements for symbols and instructions, types, materials, design, manufacture, test methods and inspection rules, marking, packaging, coating, storage, transportation, design life and ex-factory documents for liquefied dimethyl ether steel gas cylinders. This document applies to steel welded cylinders with a nominal working pressure of 1.6MPa, a nominal volume not exceeding 150 L at normal ambient temperature (-40 °C ~ 60 °C), which can be repeatedly filled with liquefied dimethyl ether conforming to GB 25035.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2063</a> 10/06/2025	China	<p><i>Washing machines and washer-dryers (HS code(s): 8450); (ICS code(s): 27.010)</i></p> <p><b>National Standards of the P.R.C., Maximum allowable values of the energy consumption, water consumption</b></p>	09/08/2025

		<p><b>and grades for household electric washing machines and washer-dryers;</b></p> <p>This document specifies the energy and water efficiency grades, technical requirements, and test methods for electric washing machines and washer-dryers. This document applies to household and similar electric washing machines and washer-dryers with a rated capacity of not more than 25.0kg and a rated voltage not exceeding 250V. For washer-dryers with a drying capacity of 1kg or less, only the washing program are assessed. This document does not apply to washing machines without a spin-drying function, washing machines that cannot wash cotton fabrics, and pulsator washer-dryers. This standard also does not apply to dry-cleaning machines.</p>	
<a href="#">G/TBT/N/CHN/2064</a> 10/06/2025	China	<p><i>Building materials and products, decoration materials and products, and electrical materials and products, mainly including wooden boards, flooring, foam plastics, tubular thermal insulation materials, textiles, upholstered furniture, soft mattresses, photovoltaic modules, etc. (HS code(s): 3816; 382499; 390311; 390940; 3918; 392113; 441112; 4413; 511130; 560290; 854190); (ICS code(s): 13.220.40)</i></p> <p><b>National Standard of the P.R.C., Classification for burning behavior of materials and products;</b></p> <p>This document specifies the terms, definitions and symbols, classification and rating, criteria for burning behavior classification, application of classification, and classification reports for materials and products. This document applies to the classification and determination of burning behavior for building materials and products, decoration materials and products, and electrical materials and products. The classification of burning behavior for other materials and products may refer to this document.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2065</a> 10/06/2025	China	<p><i>Bare-root seedlings and container seedlings used for afforestation (HS code(s): 060220); (ICS code(s): 65.020.40)</i></p> <p><b>National Standard of the P.R.C., Stock quality grading of major tree species for afforestation;</b></p> <p>This document specifies the terms and definitions, grading requirements, inspection methods, and inspection rules for seedlings of major afforestation tree species. This document applies to bare-root seedlings and container seedlings used for afforestation.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2066</a> 10/06/2025	China	<p><i>Vehicles (HS code(s): 87); (ICS code(s): 43.040)</i></p> <p><b>National Standard of the P.R.C., Requirements and measurement methods of light-duty vehicles forward visibility for drivers;</b></p> <p>This document specifies the requirements and measurement methods of light-duty vehicles forward visibility for drivers within a 180° range in front of the driver. This document applies to M1 and N1 category vehicles.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2067</a> 10/06/2025	China	<p><i>Vehicles (HS code(s): 87); (ICS code(s): 43.040.10)</i></p> <p><b>National Standard of the P.R.C., Road vehicles—Requirements and test methods of electromagnetic compatibility;</b></p>	09/08/2025

		<p>This document specifies the electromagnetic emission limits, immunity performance requirements and test methods of electromagnetic compatibility for road vehicles and electrical/electronic sub-assembly (ESA). This document applies to M, N, L category vehicles as well as their electrical/electronic ESA. Other types of vehicles can refer to it for implementation.</p>	
<a href="#">G/TBT/N/CHN/2068</a> 10/06/2025	China	<p><i>Motorcycle (HS code(s): 8711); (ICS code(s): 43.140)</i></p> <p><b>National Standard of the P.R.C., Performance and measurement method for braking of motorcycles and mopeds;</b></p> <p>This document specifies requirements for braking performance of motorcycles and mopeds, test methods, type extension requirements and implementation of standards. This document applies to motorcycles and mopeds driven by internal combustion engines, electric drives and hybrid drives. This document does not apply to vehicles for disabled persons and off-road motorcycles.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2069</a> 10/06/2025	China	<p><i>Vehicles (HS code(s): 87); (ICS code(s): 43.040.40)</i></p> <p><b>National Standard of the P.R.C., Technical requirements and testing methods for advanced emergency braking system of light-duty vehicles;</b></p> <p>This document specifies the general requirements and performance requirements for advanced emergency braking system of light-duty vehicles, and describes the testing methods. This document applies to M1 and N1 category vehicles.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2070</a> 10/06/2025	China	<p><i>School bus (HS code(s): 8702); (ICS code(s): 43.020)</i></p> <p><b>National Standard of the P.R.C., The safety technique specifications of special school buses</b></p> <p>This document specifies the terms and definitions, classification, requirements, and test methods for special school buses. This document applies to special school buses use for children over the age of 3 in kindergartens and students in the nine-year compulsory education system.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2071</a> 10/06/2025	China	<p><i>M2 and M3 buses (including trolley buses) (HS code(s): 8702); (ICS code(s): 43.020)</i></p> <p><b>National Standard of the P.R.C., The safety requirements for bus construction;</b></p> <p>This document specifies the safety requirements for bus construction. This document applies to buses of category M2 and M3, including trolley buses. This document does not apply to sleeper buses, special school buses, special-purpose buses, and non-road buses.</p>	09/08/2025
<a href="#">G/TBT/N/CHN/2072</a> 10/06/2025	China	<p><i>Children's watches (HS code(s): 910212); (ICS code(s): 39.040.10)</i></p> <p><b>National Standard of the P.R.C., Technical requirements for safety of children's watches;</b></p> <p>This document specifies the technical requirements for safety of children's watches and describes the corresponding test methods. This document applies to children's watches.</p>	09/08/2025
<a href="#">G/TBT/N/IND/365</a> 10/06/2025	India	<p><i>HS 8517</i></p> <p><b>Standard for Generic Requirements (GR) for Drive Tool Tester for Cellular Network;</b></p>	09/08/2025

		<p>This document is the Standard for Generic Requirements (GR) of the Drive Tool Tester for cellular networks technology in the Indian mobile communication network. The document covers briefly the concept of Drive Testing, applications, support of technologies, technical requirements, accessories requirements, display and measurements supported etc.</p>	
<a href="#">G/TBT/N/IND/366</a> 10/06/2025	India	<p><i>HS 8517</i></p> <p><b>Standard for Generic Requirements (GR) of Splice Closure for Optical Fibre Cables</b></p> <p>This document describes the generic requirements of a universal type of Splice Closure suitable for different types of Optical Fibre Cables used in Telecom networks.</p>	09/08/2025
<a href="#">G/TBT/N/KEN/1808</a> 10/06/2025	Kenya	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified wheat flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified wheat flour;</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified wheat flour prepared from common wheat (<i>Triticum aestivum</i> L.), club wheat (<i>T. compactum</i> Host.) or a mixture thereof intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/KEN/1809</a> 10/06/2025	Kenya	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified milled maize (corn) products prepared from the grains of common maize (<i>Zea mays</i> L.) intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/KEN/1810</a> 10/06/2025	Kenya	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified composite flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified composite flour;</b></p> <p>This East African Standard specifies requirements, sampling and test methods for fortified composite flourintended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/KEN/1811</a> 10/06/2025	Kenya	<p><i>Road engineering in general (ICS code(s): 93.080.01)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice;</b></p> <p>This Draft East African Standard provides general guidelines for geometrical design of roads.It is applicable to all mobility and access roads of Class 1, Class 2, Class 3, Class 4 and Class 5 as explained in 5.1.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/180</a> 10/06/2025	Malawi	<p><i>Sulphate of aluminium (HS code(s): 283322); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-1:2024, Chemicals used for treatment of water intended for human consumption – Part 1: Aluminium sulphate;</b></p> <p>This Draft Malawi Standard describes the characteristics, specifies the requirements and gives reference to the analytical methods of aluminum sulfate. It gives information on its use in water treatment and also determines</p>	09/08/2025

		the rules relating to safe handling and use of aluminium sulfate (See Annex A & B).	
<a href="#">G/TBT/N/MWI/181</a> 10/06/2025	Malawi	<p><i>Paint, distemper, varnish or similar brushes, paint pads and rollers (excl. artists' and similar brushes of subheading 9603.30) (HS code(s): 960340); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 380:2024, Dry distemper – Specification;</b> This Draft Malawi Standard prescribes requirements, methods of sampling and testing for dry distemper.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/182</a> 10/06/2025	Malawi	<p><i>Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers. (HS code(s): 3814); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 382-1:2024, Paint thinners – Specification – Part 1: Thinner for nitrocellulose resin-based paints and lacquers;</b> This Draft Malawi Standard specifies requirements, sampling and test methods for thinners for nitro-cellulose resin-based paints and lacquers.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/183</a> 10/06/2025	Malawi	<p><i>Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers. (HS code(s): 3814); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 382-2:2024, Paint thinners – Specification – Part 2: Thinner for resin-based auto-refinishing paint;</b> This Draft Malawi Standard specifies requirements, sampling and test methods for thinners for synthetic resin-based auto-refinishing paints</p>	09/08/2025
<a href="#">G/TBT/N/MWI/184</a> 10/06/2025	Malawi	<p><i>Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers. (HS code(s): 3814); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 382-3:2024, Paint thinners – Specification – Part 3: Thinner for acrylic resin-based auto-refinishing paint;</b> This Draft Malawi Standard specifies requirements, sampling and test methods for thinner for acrylic resin based auto-refinishing paints.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/185</a> 10/06/2025	Malawi	<p><i>Paints and varnishes, incl. enamels and lacquers, based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in a non-aqueous medium; solutions of products of headings 3901 to 3913 in volatile organic solvents, containing &gt; 50% solvent by weight (excl. solutions of collodion) (HS code(s): 3208); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 392:2024, Varnish for interior use on wooden surfaces – Specification;</b> This Draft Malawi Standard specifies requirements and methods of sampling and test for the following two types of varnish for interior use on wooden surfaces:</p>	09/08/2025
<a href="#">G/TBT/N/MWI/186</a> 10/06/2025	Malawi	<p><i>Organic composite solvents and thinners, not elsewhere specified or included; prepared paint or varnish removers. (HS code(s): 3814); Solvents (ICS code(s): 87.060.30)</i></p>	09/08/2025



<p><b>DMS 396:2024, Mineral solvents (white spirit and related hydrocarbon solvents) for paints and other purposes – Specification;</b>  This Draft Malawi Standard specifies the requirements for two categories of mineral solvents for reducing paints, varnishes and related materials and for other purposes, as follows:</p>				
<a href="#">G/TBT/N/MWI/187</a> 10/06/2025	Malawi	<p><i>Paints and varnishes, incl. enamels and lacquers, based on polyesters, dispersed or dissolved in a non-aqueous medium; solutions based on polyesters in volatile organic solvents, containing &gt; 50% solvent by weight (HS code(s): 320810); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 406:2024, Ready mixed paint, brushing, red oxide, priming for metals – Specification;</b>  This Draft Malawi Standard prescribes the requirements and the methods of sampling and test for the material commercially known as ready mixed paint, brushing, red oxide, priming for metals. The material is used as a primer on steel structures for interior use.</p>	09/08/2025	
<a href="#">G/TBT/N/MWI/188</a> 10/06/2025	Malawi	<p><i>Epoxides, epoxyalcohols, epoxyphenols and epoxyethers, with a three-membered ring, and their halogenated, sulphonated, nitrated or nitrosated derivatives (HS code(s): 2910); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 418:2024, Two-pack epoxy primer – Specification;</b>  This Draft Malawi Standard specifies requirements, sampling and test methods for a 2-pack epoxy solvent based primer used for protection of iron, steel, galvanized iron, galvanized steel, and reinforced concrete against atmospheric corrosion in an industrial or aquatic environment.</p>	09/08/2025	
<a href="#">G/TBT/N/MWI/189</a> 10/06/2025	Malawi	<p><i>Paints and varnishes, incl. enamels and lacquers, based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in a non-aqueous medium; solutions of products of subheading 3901 to 3913 in volatile organic solvents, containing &gt; 50% solvent by weight (excl. solutions of collodion) (HS code(s): 3208); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 462:2024, Polymer floor dressings – Specification;</b>  This Draft Malawi Standard covers two types of a slip-resistance; waterbased polymer floor dressing that is suitable for use on thermoplastic (asphalt), semiflexible vinyl (vinyl-asbestos), flexible vinyl, linoleum, rubber, and sealed flooring.</p>	09/08/2025	
<a href="#">G/TBT/N/MWI/190</a> 10/06/2025	Malawi	<p><i>Polishes, creams and similar preparations, for footwear or leather, whether or not in the form of paper, wadding, felt, nonwovens, cellular plastics or cellular rubber, impregnated, coated or covered with such preparations (excl. artificial and prepared waxes of heading 3404) (HS code(s): 340510); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 566:2024, Wax leather polish – Specification;</b>  This Draft Malawi Standard covers wax polish suitable for use on leather goods including leather shoes, boots, bags.</p>	09/08/2025	
<a href="#">G/TBT/N/MWI/191</a> 10/06/2025	Malawi	<p><i>Glaziers' putty, grafting putty, resin cements, caulking compounds and other mastics; painters' fillings; non-</i></p>	09/08/2025	

		<p><i>refractory surfacing preparations for façades, indoor walls, floors, ceilings or the like (HS code(s): 3214); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 616:2024, Glazing putty for wooden and metal window frames – Specification;</b></p> <p>This Draft Malawi Standard specifies requirements and methods of sampling and test for the following two types of putty for the glazing of window frames:</p>	
<a href="#">G/TBT/N/MWI/192</a> 10/06/2025	Malawi	<p><i>Glass beads, imitation pearls, imitation precious or semi-precious stones and similar glass smallwares, and articles thereof (excl. imitation jewellery); glass eyes (excl. prosthetic articles); statuettes and other ornaments of lamp-worked glass (excl. imitation jewellery); glass microspheres with a diameter of <math>\leq 1</math> mm (HS code(s): 7018); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 1047:2024, Road marking materials – Premix glass beads – Specification;</b></p> <p>This Draft Malawi Standard specifies the requirements for laboratory tests (production control) and qualification procedures for the premixed glass beads used in road marking materials.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/193</a> 10/06/2025	Malawi	<p><i>Polishes, creams and similar preparations, for footwear or leather, whether or not in the form of paper, wadding, felt, nonwovens, cellular plastics or cellular rubber, impregnated, coated or covered with such preparations (excl. artificial and prepared waxes of heading 3404) (HS code(s): 340510); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2096:2024, Wax stoep polish – Specification;</b></p> <p>This Draft Malawi Standard covers wax polish suitable for use on cement surfaces, and available in three colours.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/194</a> 10/06/2025	Malawi	<p><i>Other paints and varnishes (including enamels, lacquers and distempers); prepared water pigments of a kind used for finishing leather. (HS code(s): 3210); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>MS 2097:2024, Washable distemper – Specification;</b></p> <p>This Draft Malawi Standard prescribes the requirements and the methods of sampling and testing for washable distemper</p>	09/08/2025
<a href="#">G/TBT/N/MWI/195</a> 10/06/2025	Malawi	<p><i>Zinc oxide; zinc peroxide (HS code(s): 2817); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2101:2024, Ready mixed paint, air drying, red oxide-zinc chrome, priming – Specification;</b></p> <p>This Draft Malawi Standard prescribes requirements, methods of sampling and test for the material commercially known as ready mixed paint, air drying, red oxide-zinc chrome priming.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/196</a> 10/06/2025	Malawi	<p><i>lated or coated with aluminum: (HS code(s): 72106); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2104:2024 Aluminium paint, heat resistant – Specification;</b></p> <p>This Draft Malawi Standard prescribes the requirements, methods of sampling and test for the heat resistant aluminium paint. This material shall withstand solvents, normal weather exposure and temperature up to 600°C.</p>	09/08/2025



<a href="#">G/TBT/N/MWI/197</a> 10/06/2025	Malawi	<p><i>Powder and flakes, of aluminium (excl. pellets of aluminium, and spangles) (HS code(s): 7603); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2105:2024, Aluminium paste for paints – Specification;</b> This Draft Malawi Standard prescribes requirements, methods of sampling and test for aluminium paste for paints. The material is generally used for making ready mixed paints.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/198</a> 10/06/2025	Malawi	<p><i>Paints and varnishes, incl. enamels and lacquers, based on synthetic polymers or chemically modified natural polymers, dispersed or dissolved in a non-aqueous medium; solutions of products of headings 3901 to 3913 in volatile organic solvents, containing &gt; 50% solvent by weight (excl. solutions of collodion) (HS code(s): 3208); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2189-1:2024, Auto-refinishing paint – Specification – Part 1: Synthetic resin based;</b> This Draft Malawi Standard specifies the requirements, sampling and test methods for synthetic resin based auto-refinishing paint.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/199</a> 10/06/2025	Malawi	<p><i>Ether-alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives (excl. 2,2'-Oxydiethanol "diethylene glycol, digol" and monoalkylethers of ethylene glycol or of diethylene glycol) (HS code(s): 290949); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2189-2:2024, Auto refinishing paint – Specification – Part 2: Nitrocellulose resin based;</b> This Draft Malawi Standard specifies the requirements, sampling and test methods for auto refinishing paint, nitrocellulose resin based.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/200</a> 10/06/2025	Malawi	<p><i>ORGANIC CHEMICALS (HS code(s): 29); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2189-3:2024, Auto-refinishing paint – Specification – Part 3: Two-Pack acrylic resin-based;</b> This Draft Malawi Standard specifies requirements, sampling and test methods for 2-Pack acrylic resin-based auto-refinishing paint.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/201</a> 10/06/2025	Malawi	<p><i>ANNING OR DYEING EXTRACTS; TANNINS AND THEIR DERIVATIVES; DYES, PIGMENTS AND OTHER COLOURING MATTER; PAINTS AND VARNISHES; PUTTY AND OTHER MASTICS; INKS (HS code(s): 32); Paints and varnishes (ICS code(s): 87.040)</i></p> <p><b>DMS 2190:2024, Textured paints – Specification;</b> This Draft Malawi Standard specifies requirements, sampling and test methods for water based textured paints suitable for exterior and interior use on concrete surfaces, boards, primed wood, primed metal to give a protective and decorative coating</p>	09/08/2025
<a href="#">G/TBT/N/MWI/202</a> 10/06/2025	Malawi	<p><i>Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, incl. reconstituted tars (HS code(s): 2706); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>MS 2239:2025, Coal-tar type disinfectant liquids (black and white) – Specification;</b></p>	09/08/2025

This Draft Malawi Standard specifies requirements for two types of coal-tar disinfectants that are miscible with water and intended for use on inanimate surfaces. The Draft Malawi Standard is intended for the evaluation of coal-tar type disinfectants for general use. Black fluid consists of a solubilized crude phenol fraction prepared from high boiling point tar acids. White fluid consists of emulsified phenolic compounds.

[G/TBT/N/MWI/203](#)  
10/06/2025

Malawi

*Compounds with other nitrogen function (excl. amine-function compounds; oxygen-function amino-compounds; quaternary ammonium salts and hydroxides; lecithin and other phosphoaminolipids; carboxamide-function compounds; amide-function compounds of carbonic acid; carboxyimide-function, imine-function or nitrile-function compounds; diazo-, azo- or azoxy-compounds; organic derivatives of hydrazine or of hydroxylamine) (HS code(s): 2929); Chemicals for purification of water (ICS code(s): 71.100.80)*

09/08/2025

**DMS 2238:2025, Detergent-disinfectants based on quaternary ammonium compounds – Specification;**

This Draft Malawi Standard specifies requirements for two types of detergent-disinfectants based on quaternary ammonium compounds and other chemical agents (such as compatible surface-active agents and phosphates) that are miscible with water and intended for use on inanimate surfaces that have been cleaned with potable water and have had gross soil removed, and are free from visible soil.

[G/TBT/N/MWI/204](#)  
10/06/2025

Malawi

*Phenolic resins, in primary forms (HS code(s): 390940); Chemicals for purification of water (ICS code(s): 71.100.80)*

09/08/2025

**DMS 2237:2025, Disinfectants based on phenolics – Specification;**

This Draft Malawi Standard specifies requirements for disinfectants based on phenolics which are miscible with water and intended for use on inanimate surfaces that are free from excessive dirt. Phenols are compounds containing at least one hydroxyl group attached directly to a carbon atom of an aromatic ring. Examples include phenol and o-phenylphenol.

[G/TBT/N/MWI/205](#)  
10/06/2025

Malawi

*SOAP, ORGANIC SURFACE-ACTIVE AGENTS, WASHING PREPARATIONS, LUBRICATING PREPARATIONS, ARTIFICIAL WAXES, PREPARED WAXES, POLISHING OR SCOURING PREPARATIONS, CANDLES AND SIMILAR ARTICLES, MODELLING PASTES, 'DENTAL WAXES' AND DENTAL PREPARATIONS WITH A BASIS OF PLASTER (HS code(s): 34); Chemicals for purification of water (ICS code(s): 71.100.80)*

09/08/2025

**MS 2236:2025, Detergent-disinfectants based on stabilized inorganic chlorine compounds – Specification;**

This Draft Malawi Standard specifies requirements for two types of detergent-disinfectants based on stabilized inorganic chlorine compounds and other chemical agents (such as compatible surface-active agents and phosphates), that are miscible with water and intended for use on inanimate surfaces.

<a href="#">G/TBT/N/MWI/206</a> 10/06/2025	Malawi	<p><i>SOAP, ORGANIC SURFACE-ACTIVE AGENTS, WASHING PREPARATIONS, LUBRICATING PREPARATIONS, ARTIFICIAL WAXES, PREPARED WAXES, POLISHING OR SCOURING PREPARATIONS, CANDLES AND SIMILAR ARTICLES, MODELLING PASTES, 'DENTAL WAXES' AND DENTAL PREPARATIONS WITH A BASIS OF PLASTER (HS code(s): 34); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 2235:2025, Detergent-disinfectants based on organic halogen compounds (other than iodine compounds) – Specification;</b></p> <p>This Draft Malawi Standard specifies requirements for two types of detergent-disinfectants that contain organic halogen compounds (other than iodine compounds) such as fluorine, bromine or chlorine, in which the halogen(s) is (are) directly linked to nitrogen and that also contain other chemical agents (such as compatible surface-active agents and phosphates) that are miscible with water and intended for use on inanimate surfaces that have been cleaned with potable water and have had gross soil removed, and are free from visible soil.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/207</a> 10/06/2025	Malawi	<p><i>Soap and organic surface-active products and preparations, in the form of bars, cakes, moulded pieces or shapes, and paper, wadding, felt and nonwovens, impregnated, coated or covered with soap or detergent: (HS code(s): 34011); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 2234:2025, Detergent-disinfectant liquid toilet cleansers – Specification;</b></p> <p>This Draft Malawi Standard specifies requirements and test methods for detergent-disinfectant liquid toilet cleansers based on quaternary ammonium compounds and other chemical agents (such as compatible surface-active agents and phosphates) that are miscible with water and intended for cleaning toilet bowls and urinals</p>	09/08/2025
<a href="#">G/TBT/N/MWI/208</a> 10/06/2025	Malawi	<p><i>SOAP, ORGANIC SURFACE-ACTIVE AGENTS, WASHING PREPARATIONS, LUBRICATING PREPARATIONS, ARTIFICIAL WAXES, PREPARED WAXES, POLISHING OR SCOURING PREPARATIONS, CANDLES AND SIMILAR ARTICLES, MODELLING PASTES, 'DENTAL WAXES' AND DENTAL PREPARATIONS WITH A BASIS OF PLASTER (HS code(s): 34); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>MS 2233:2025, Disinfectants, detergent-disinfectants and antiseptics for use in the food industry – Specification;</b></p> <p>This Draft Malawi Standard specifies general requirements for disinfectants, detergent-disinfectants including antiseptics (i.e. anti-bacterial hand soap and cleaners) intended for use in the food industry. The Draft Malawi Standard sets minimum requirements for the safety of disinfectants, detergent-disinfectants and antiseptics that are intended for use in the food processing industry and might come into contact with food, beverage and dairy products.</p>	09/08/2025

<a href="#">G/TBT/N/MWI/209</a> 10/06/2025	Malawi	<p><i>Machines for washing, bleaching or dyeing textile yarns, fabrics or made-up textile articles (excl. household or laundry-type washing machines) (HS code(s): 845140); Chemicals for industrial and domestic disinfection purposes (ICS code(s): 71.100.35)</i></p> <p><b>DMS 575:2024, Stable bleaching powder – Specification;</b> This Draft Malawi Standard prescribes the requirements and the methods of sampling and test for stable bleaching powder intended for household and industrial use.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/210</a> 10/06/2025	Malawi	<p><i>Saturated chlorinated derivatives of acyclic hydrocarbons (excl. chloromethane "methyl chloride", chloroethane "ethyl chloride", dichloromethane "methylene chloride", chloroform "trichloromethane", carbon tetrachloride and 1,2-dichloroethane "ethylene dichloride") (HS code(s): 290319); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-7: 2024, Chemicals used for treatment of water intended for human consumption – Part 7: Polyaluminium chloride hydroxide and polyaluminium chloride hydroxide sulfate;</b> This Draft Malawi Standard specifies requirements and corresponding test methods for polyaluminium chloride hydroxide and polyaluminium chloride hydroxide sulfate used for treatment of water intended for human consumption. It also determines the rules relating to safe handling (see Annex A).</p>	09/08/2025
<a href="#">G/TBT/N/MWI/211</a> 10/06/2025	Malawi	<p><i>Quicklime, slaked lime and hydraulic lime (excl. pure calcium oxide and calcium hydroxide) (HS code(s): 2522); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-6:2024, Chemicals used for treatment of water intended for human consumption – Part 6: Hydrated lime;</b> This Draft Malawi Standard describes requirements and methods of test for hydrated lime used for treatment of water intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/212</a> 10/06/2025	Malawi	<p><i>Bentonite (HS code(s): 250810); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-5:2024, Chemicals used for treatment of water intended for human consumption – Part 5: Bentonite;</b> This Draft Malawi Standard describes the characteristics and specifies the requirements and the corresponding test methods for bentonite used for treatment of water intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/213</a> 10/06/2025	Malawi	<p><i>Salt (including table salt and denatured salt) and pure sodium chloride, whether or not in aqueous solution or containing added anti-caking or free-flowing agents; sea water. (HS code(s): 2501); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-4: 2024, Chemicals used for treatment of water intended for human consumption – Part 4: Sodium chloride</b> This Draft Malawi Standard describes the characteristics and specifies the requirements and the corresponding test methods for sodium chloride intended for onsite electrochlorination of water intended for human</p>	09/08/2025

		consumption. It also gives information on its use in water treatment.	
<a href="#">G/TBT/N/MWI/214</a> 10/06/2025	Malawi	<p><i>Chlorate of sodium (HS code(s): 282911); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-3:2024, Chemical used for treatment of water intended for human consumption – Part 3: Sodium chlorate;</b></p> <p>This Draft Malawi Standard describes the characteristics of sodium chlorate and specifies the requirements and corresponding test methods for sodium chlorate. It gives information on its use in water treatment. It also determines the rules relating to safe handling and use of sodium chlorate, and gives the environmental, health and safety precautions within the chemical laboratory.</p>	09/08/2025
<a href="#">G/TBT/N/MWI/215</a> 10/06/2025	Malawi	<p><i>Calcium hypochlorites, incl. commercial calcium hypochlorite (HS code(s): 282810); Chemicals for purification of water (ICS code(s): 71.100.80)</i></p> <p><b>DMS 91-2:2024, Chemicals used for treatment of water intended for human consumption – Part 2: Calcium hypochlorite;</b></p> <p>This Draft Malawi Standard describes the characteristics of calcium hypochlorite and specifies the requirements and corresponding test methods for calcium hypochlorite. It provides information on its use in water treatment. It also determines the rules relating to safe handling and use of calcium hypochlorite.</p>	09/08/2025
<a href="#">G/TBT/N/RWA/1207</a> 10/06/2025	Rwanda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified wheat flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified wheat flour;</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified wheat flour prepared from common wheat (<i>Triticum aestivum</i> L.), club wheat (<i>T. compactum</i> Host.) or a mixture thereof intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/RWA/1208</a> 10/06/2025	Rwanda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified milled maize (corn) products prepared from the grains of common maize (<i>Zea mays</i> L.) intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/RWA/1209</a> 10/06/2025	Rwanda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified composite flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified composite flour;</b></p> <p>This East African Standard specifies requirements, sampling and test methods for fortified composite flour intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/RWA/1210</a> 10/06/2025	Burundi	<p><i>Road engineering in general (ICS code(s): 93.080.01)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice;</b></p>	09/08/2025

This Draft East African Standard provides general guidelines for geometrical design of roads. It is applicable to all mobility and access roads of Class 1, Class 2, Class 3, Class 4 and Class 5 as explained in 5.1.

<a href="#">G/TBT/N/TZA/1349</a> 10/06/2025	Tanzania	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified wheat flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified wheat flour;</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified wheat flour prepared from common wheat (<i>Triticum aestivum</i> L.), club wheat (<i>T. compactum</i> Host.) or a mixture thereof intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/TZA/1350</a> 10/06/2025	Tanzania	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified milled maize (corn) products prepared from the grains of common maize (<i>Zea mays</i> L.) intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/TZA/1351</a> 10/06/2025	Tanzania	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified composite flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified composite flour;</b></p> <p>This East African Standard specifies requirements, sampling and test methods for fortified composite flour intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/TTA/1352</a> 10/06/2025	Tanzania	<p><i>Road engineering in general (ICS code(s): 93.080.01)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice;</b></p> <p>This Draft East African Standard provides general guidelines for geometrical design of roads. It is applicable to all mobility and access roads of Class 1, Class 2, Class 3, Class 4 and Class 5 as explained in 5.1.</p>	09/08/2025
<a href="#">G/TBT/N/UGA/2163</a> 10/06/2025	Uganda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>Fortified wheat flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified wheat flour;</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified wheat flour prepared from common wheat (<i>Triticum aestivum</i> L.), club wheat (<i>T. compactum</i> Host.) or a mixture thereof intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/UGA/2164</a> 10/06/2025	Uganda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice</b></p> <p>This East African Standard specifies the requirements, sampling and test methods for fortified milled maize (corn) products prepared from the grains of common maize (<i>Zea mays</i> L.) intended for human consumption.</p>	09/08/2025
<a href="#">G/TBT/N/UGA/2165</a> 10/06/2025	Uganda	<p><i>Cereals, pulses and derived products (ICS code(s): 67.060)</i></p>	09/08/2025



		<p><b>Fortified composite flour — SpecificationAMENDMENT 1: Amendment to Table 2 — Requirements for levels of micronutrients in fortified composite flour;</b></p> <p>This East African Standard specifies requirements, sampling and test methods for fortified composite flourintended for human consumption.</p>	
<a href="#">G/TBT/N/UGA/2166</a> 10/06/2025	Uganda	<p><i>Road engineering in general (ICS code(s): 93.080.01)</i></p> <p><b>DEAS 1206: 2024, Geometrical design of roads — Code of practice;</b></p> <p>This Draft East African Standard provides general guidelines for geometrical design of roads.It is applicable to all mobility and access roads of Class 1, Class 2, Class 3, Class 4 and Class 5 as explained in 5.1.</p>	09/08/2025
<a href="#">G/TBT/N/UKR/344</a> 10/06/2025	Ukraine	<p><i>Cocoa paste, whether or not defatted (HS code(s): 1803); Cocoa butter, fat and oil. (HS code(s): 1804); Chocolate and other food preparations containing cocoa (HS code(s): 1806)</i></p> <p><b>Draft Order of the Ministry of Agrarian Policy and Food of Ukraine "On Amendments to the Order of the Ministry of Agrarian Policy and Food of Ukraine No. 157 of 13 April 2016";</b></p> <p>The draft Order aims to incorporate into national legislation provisions prohibiting the use of the terms "chocolate", "white chocolate", "milk chocolate", "family milk chocolate", "chocolate a la taza" and "familiar a la taza chocolate" for food products that contain vegetable fats other than those complying with the Requirements for Cocoa and Chocolate Products, approved by the Order of the Ministry of Agrarian Policy and Food of Ukraine No. 157 of 13 April 2016.These terms refer to specific food product names that may only be used if the relevant provisions of above-mentioned Requirements are fully complied with, and they are used in trade to identify such products. These terms may also be used as part of the names of other products, provided that such use does not mislead consumers.The draft Order is also notified under the SPS Agreement.</p>	09/08/2025
<a href="#">G/TBT/N/USA/2208</a> 10/06/2025	United States of America	<p><i>Dibutyl Phthalate (DBP) and Diethylhexyl Phthalate (DEHP); Environmental protection (ICS code(s): 13.020); Production in the chemical industry (ICS code(s): 71.020); Products of the chemical industry (ICS code(s): 71.100)</i></p> <p><b>Dibutyl Phthalate (DBP) and Diethylhexyl Phthalate (DEHP); Draft Risk Evaluations Under the Toxic Substances Control Act (TSCA); Notice of Availability and Request for Comment;</b></p> <p>Notice of availability and request for comment - The Environmental Protection Agency (EPA or Agency) is announcing the availability of and seeking public comment on the draft risk evaluations under the Toxic Substances Control Act (TSCA) for Dibutyl Phthalate (DBP) (CASRN 84-74-2) and Diethylhexyl Phthalate (DEHP) (CARSN 117-81-7). The purpose of risk evaluations under TSCA is to determine whether a chemical substance presents an unreasonable risk of injury to health or the environment under the conditions of use, including unreasonable risk to potentially exposed or susceptible subpopulations identified as relevant to the risk evaluation by EPA, and</p>	04/08/2025

without consideration of costs or non-risk factors. EPA used the best available science to prepare this draft risk evaluation and to preliminarily determine, based on the weight of scientific evidence, that DBP and DEHP present unreasonable risk to health and the environment driven primarily by certain conditions of use analyzed in the draft evaluations.

[G/TBT/N/USA/2209](#)  
10/06/2025

United  
States of  
America

*911 services and networks; Quality (ICS code(s): 03.120); Telecommunication services. Applications (ICS code(s): 33.030); Telecommunication systems (ICS code(s): 33.040); Radiocommunications (ICS code(s): 33.060); Mobile services (ICS code(s): 33.070)*

18/08/2025

**Facilitating Implementation of Next Generation 911 Services (NG911); Improving 911 Reliability;**

Proposed rule - In this document, the Federal Communications Commission (the FCC or Commission) proposes rules that would help ensure that emerging Next Generation 911 (NG911) networks are reliable and interoperable. NG911 is replacing legacy 911 technology across the country with Internet Protocol (IP)-based infrastructure that will support new 911 capabilities, including text, video, and data. However, for NG911 to be fully effective, NG911 networks must safeguard the reliability of critical components and support the interoperability needed to seamlessly transfer 911 calls and data from one network to another. When the Commission first adopted 911 reliability rules in 2013, the transition to NG911 was in its very early stages. Since then, many state and local 911 Authorities have made significant progress in deploying NG911 capabilities in their jurisdictions. This Further Notice of Proposed Rulemaking (FNPRM) is the next step in fulfilling the Commission's commitment to facilitate the NG911 transition and to ensure that the transition does not inadvertently create vulnerabilities in the nation's critical public safety networks. The FNPRM proposes to update the definition of "covered 911 service provider" in the Commission's existing 911 reliability rules to ensure that the rules apply to service providers that control or operate critical pathways and components in NG911 networks. It also proposes to update the reliability standards for providers of critical NG911 functions to ensure the reliable delivery of 911 traffic to NG911 delivery points, and proposes to establish NG911 interoperability requirements for interstate transfer of 911 traffic between Emergency Services IP Networks (ESInets). In addition, the FNPRM proposes to modify the certification and oversight mechanisms in the current 911 reliability rules to improve reliability and interoperability in NG911 systems while minimizing burdens on service providers, and proposes to empower state and local 911 Authorities to obtain reliability and interoperability certifications directly from covered 911 service providers.

[G/TBT/N/CHL/731](#)  
11/06/2025

Chile

*Estufas a leña de potencia inferior o igual a 25 kW Código S.A. 7321.8911 Estufas a pellets de madera de potencia inferior o igual a 25 kW Código S.A. 7321.8921*  
**Anteproyecto de la norma de emisión para los artefactos que combustioneen o puedan combustionar leña y pellet;**

10/08/2025

La presente Norma de emisión tiene por objeto proteger la salud de las personas, mediante el establecimiento de límites de emisión de MP, aplicable a los calefactores nuevos que combustionen o puedan combustionar leña y pellet, sean estos fabricados, contruidos o armados en el país o importados. De su aplicación se espera una reducción de las emisiones de MP y un mejoramiento de la calidad del aire.

<a href="#">G/TBT/N/IND/367</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Standard for Generic Requirements (GR) of Route Tracer for Armoured Optical Fibre Cable;</b></p> <p>This document describes the Standard for Generic Requirements of Route Tracer for Armoured Optical Fibre Cable</p>	10/08/2025
<a href="#">G/TBT/N/IND/368</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Standard for Generic Requirements (GR) for "IoT Gateway";</b></p> <p>This document is the Standard for Generic Requirements (GR) of IoT Gateway working on wired or wireless (cellular/ non cellular) communication technologies including Short range technologies (NFC, RFID etc.) used for translation from one protocol to another and accessing Cellular/Non-Cellular Communication Network. This standard is applicable to all such devices having similar functionality as of IoT Gateway like Data Concentrator Unit (DCU), Telematics Unit, etc. It covers requirements for Interoperability, Quality, Electromagnetic Compatibility, Safety and Security, etc.</p>	10/08/2025
<a href="#">G/TBT/N/IND/369</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Notification for creation of New Essential Requirement (ER) on SDWAN Equipment</b></p> <p>New Essential Requirement (ER) on SDWAN Equipment is enclosed for your reference, study and technical inputs/comments. It is requested to go through the enclosed draft ER Standard and your inputs/comments may please be furnished in the template sheet enclosed as Annexure-A</p>	10/08/2025
<a href="#">G/TBT/N/IND/370</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Notification for revision of GR on "Router for MPLS based Transport Network, TEC 48050:2024";</b></p> <p>The draft standard (draft TEC 48050:2025) GR on "Router for MPLS based Transport Network" is enclosed for your reference, study and technical inputs/comments. It is requested to go through the enclosed draft Standard and your inputs/comments may please be furnished in the template sheet enclosed as Annexure-II.</p>	10/08/2025
<a href="#">G/TBT/N/IND/371</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Notification for revision of GR on" "Monitoring Equipment for Lawful Interception of PSTN/NGN/IMS (TEC 61020:2017)";</b></p> <p>It is requested to go through the enclosed Standard for GR on "Monitoring Equipment for Lawful Interception of PSTN/NGN/IMS (TEC 61020:2017)" and your inputs/comments may please be furnished in the template sheet enclosed as Annexure-I</p>	10/08/2025

<a href="#">G/TBT/N/IND/372</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Notification for revision of GR on" "Electronic Locator System TEC 73070:2014 (Old No. TEC/GR/TX/TIE-007/02.MAR-14)";</b></p> <p>The electronic copy of existing standard is enclosed for your reference, study and technical inputs/comments. It is requested to go through the enclosed draft Standard and your inputs/comments may please be furnished in the template sheet enclosed as Annexure-A.</p>	10/08/2025
<a href="#">G/TBT/N/IND/373</a> 11/06/2025	India	<p><i>HS 8517</i></p> <p><b>Notification for revision of GR on" "SMPS BASED POWER PLANTS TEC 66110:2024"</b></p> <p>The electronic copy of existing standard is enclosed for your reference, study and technical inputs/comments. It is requested to go through the enclosed draft Standard and your inputs/comments may please be furnished in the template sheet enclosed as Annexure-A.</p>	10/08/2025
<a href="#">G/TBT/N/NZL/147</a> 11/06/2025	New Zealand	<p><i>Pharmaceutical products</i></p> <p><b>Title: Medicines Amendment Bill 2025</b></p> <p>The Medicines Amendment Bill:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/>introduces a verification pathway whereby medicines can be approved for distribution in New Zealand if they have been approved by 2 recognised overseas jurisdictions.</li> <li><input type="checkbox"/>enables more flexible approaches to prescription and administration of medicines so that patients can get access to the medicines they need more efficiently, supported by the latest science and best practice.</li> <li><input type="checkbox"/>updates the settings for the Medicines Classification Committee, by modernising the membership requirements for the Committee and removing outdated provisions from the Act.</li> </ul>	10/08/2025
<a href="#">G/TBT/N/USA/2210</a> 11/06/2025	United States of America	<p><i>Motor vehicle fuel tank overfill restriction; Fuel systems (ICS code(s): 43.060.40); Commercial vehicles (ICS code(s): 43.080)</i></p> <p><b>Parts and Accessories Necessary for Safe Operation; Fuel Tank Overfill Restriction</b></p> <p>Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to remove the requirement in the Federal Motor Carrier Safety Regulations (FMCSRs) that a liquid fuel tank manufactured on or after 1 January 1973, be designed and constructed so that it cannot be filled, in a normal filling operation, with a quantity of fuel that exceeds 95 percent of the tank's liquid capacity. This proposal is in response to a petition for rulemaking from the Commercial Vehicle Safety Alliance (CVSA). The proposed change would remove an unnecessary and outdated requirement from the FMCSRs.</p>	29/07/2025
<a href="#">G/TBT/N/USA/2211</a> 11/06/2025	United States of America	<p><i>Motor vehicle auxiliary fuel tanks; Vessels and containers mounted on vehicles (ICS code(s): 23.020.20); Fuel systems (ICS code(s): 43.060.40); Commercial vehicles (ICS code(s): 43.080)</i></p> <p><b>Parts and Accessories Necessary for Safe Operation; Auxiliary Fuel Tanks;</b></p> <p>Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to add an exception to the prohibition on gravity and syphon feeds for</p>	29/07/2025

		<p>auxiliary pumps with a fuel tank capacity of less than 5 gallons mounted on the trailer chassis frame or trailer bed, for purposes other than operation of the motor vehicle, that are operational only when the motor vehicle is not in motion. This proposal is in response to a petition for rulemaking from the Truck Trailer Manufacturers Association (TTMA). The proposed change would provide relief from a regulatory requirement without impacting safety.</p>	
<a href="#">G/TBT/N/EU/1141</a> 12/06/2025	European Union	<p><i>Biocidal products</i></p> <p><b>Draft Commission Implementing Decision not approving epsilon-metofluthrin as an active substance for use in biocidal products of product-type 19 in accordance with Regulation (EU) No 528/2012 of the European Parliament and of the Council;</b></p> <p>This draft Commission Implementing Decision does not approve epsilon-metofluthrin as an active substance for use in biocidal products of product-type 19, since a safe use of the substance was not demonstrated concerning the environment.</p>	11/08/2025
<a href="#">G/TBT/N/CHL/732</a> 12/06/2025	Chile	<p><i>Herramientas eléctricas accionadas por motor:- Destornilladores-Llaves de tuerca de impacto</i></p> <p><b>Protocolo PE N°6-02:2025, Procedimiento de Certificación de Seguridad para desatornillador y llave de tuerca de impacto;</b></p> <p>El presente protocolo establece el procedimiento de certificación de Seguridad para los productos eléctricos destornilladores y llaves de impacto, diseñada principalmente para su uso en la casa o fines similares, de alimentación eléctrica monofásica no superior a 250 V de c.a. y no superior a 75 V de c.c. (operadas por baterías, Anexos K y L), y de una potencia nominal de hasta 3700 W.</p>	11/08/2025
<a href="#">G/TBT/N/USA/2212</a> 12/06/2025	United States of America	<p><i>Brakes on portable conveyors; Braking systems (ICS code(s): 43.040.40); Commercial vehicles (ICS code(s): 43.080); Conveyors (ICS code(s): 53.040.10)</i></p> <p><b>Parts and Accessories Necessary for Safe Operation; Brakes on Portable Conveyors;</b></p> <p>Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to add an exception for portable conveyors used in aggregate industry operations, and manufactured before 2010, from the requirements that each commercial motor vehicle (CMV) be equipped with brakes acting on all wheels, provided certain conditions are satisfied. This proposal is in response to a petition for rulemaking from the Michigan Aggregates Association (MAA). The proposed change would provide relief from a regulatory requirement for certain portable conveyors without impacting safety.</p>	29/07/2025
<a href="#">G/TBT/N/USA/2213</a> 12/06/2025	United States of America	<p><i>License plate lamps; Lighting, signalling and warning devices (ICS code(s): 43.040.20); Trucks and trailers (ICS code(s): 43.080.10)</i></p> <p><b>Parts and Accessories Necessary for Safe Operation; License Plate Lamps;</b></p> <p>Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to provide an exception from the lamp and reflective device requirements for license plate lamps on the rear of truck</p>	29/07/2025

tractors while towing a trailer. This proposed change would remove an unnecessary regulatory requirement without impacting safety.

[G/TBT/N/USA/2214](#)  
12/06/2025

United  
States of  
America

*Retroreflective sheeting on semitrailers and trailers; Lighting, signalling and warning devices (ICS code(s): 43.040.20); Commercial vehicles (ICS code(s): 43.080)* 29/07/2025

**Parts and Accessories Necessary for Safe Operation; Retroreflective Sheeting on Semitrailers and Trailers;**

Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to rescind the requirements for retroreflective sheeting on semitrailers and trailers manufactured prior to 1 December 1993, which is the compliance date for the National Highway Traffic Safety Administration's (NHTSA) conspicuity rules applicable to trailer manufacturers. The retrofitting requirements were adopted by the Federal Highway Administration (FHWA) on 31 March 1999, and require that motor carriers engaged in interstate commerce install retroreflective tape or reflex reflectors on the sides and rear of semitrailers and trailers that were manufactured prior to 1 December 1993, have an overall width of 2,032 mm (80 inches) or more, and a gross vehicle weight rating of 4,536 kg (10,001 pounds) or more. With the passage of more than 30 years since the NHTSA requirements were implemented, FMCSA believes the vast majority of trailers currently in use on the Nation's highways were manufactured after 1993 so the retrofitting rule is no longer necessary. This proposal would eliminate obsolete regulatory text without compromising safety.

[G/TBT/N/USA/2215](#)  
12/06/2025

United  
States of  
America

*Tire load restriction markings; Commercial vehicles (ICS code(s): 43.080); Road vehicle tyres (ICS code(s): 83.160.10)* 29/07/2025

**Parts and Accessories Necessary for Safe Operation; Tire Load Markings;**

Notice of proposed rulemaking - The Federal Motor Carrier Safety Administration (FMCSA) proposes to revise the requirements for tires on commercial motor vehicles (CMVs) to clarify that the Federal Motor Carrier Safety Regulations (FMCSRs) do not require tire load restriction markings on their sidewalls. This change would eliminate confusion and clarify the scope of FMCSA's authority regarding the requirements for tires in the FMCSRs.

[G/TBT/N/CHL/733](#)  
13/06/2025

Chile

- *Lijadora distinta a la de disco*  
- *Pulidora distinta a la de disco*

12/08/2025

**PE N°6/04:2025, Procedimiento de Certificación de Seguridad para lijadora y pulidora**

El presente protocolo establece el procedimiento de certificación de Seguridad para los productos eléctricos Lijadoras y Pulidoras distintas de las de disco, diseñada principalmente para su uso en la casa o fines similares, de alimentación eléctrica monofásica no superior a 250 V de c.a. y no superior a 75 V de c.c. (operadas por baterías, Anexos K y L), y de una potencia nominal de hasta 3700 W. Excluye:

☐ Las Lijadoras y Pulidoras de disco, están contempladas en la norma IEC 62841-2-3.



[G/TBT/N/USA/2216](#)  
13/06/2025

United  
States of  
America

*Broadband and mobile services, wireless telecommunication; Quality (ICS code(s): 03.120); Telecommunication systems (ICS code(s): 33.040); Radiocommunications (ICS code(s): 33.060); Mobile services (ICS code(s): 33.070)*

28/07/2025

**Lower 37 GHz Band and Use of Spectrum Bands Above 24 GHz for Mobile Radio Service;**

Proposed rule - In this document, the Federal Communications Commission (Commission) seeks comment on three issues: adopting a more stringent emissions limit for Upper Microwave Flexible Use Service (UMFUS) operations above 37 GHz; whether the first phase of the coordination mechanism adopted in the companion final rule, published elsewhere in this issue of the Federal Register, can be enhanced by consideration of additional factors; and whether it might be possible to replace the same coordination mechanism with a dynamic spectrum management system (DSMS). The Commission also proposes to correct an error in a power flux density (PFD) figure in one of its technical rules for UMFUS.