

Predpisy notifikované v Dohode o technických překážkách obchodu (TBT WTO)
37. týždeň roku 2025

Číslo/Dátum	Notifikujúca strana	Charakteristika notifikácie	Pripomienková doba
G/TBT/N/COL/273 08/09/2025	Colombia	<i>Medidores de gas que se utilizan en la prestación del servicio público domiciliario de gas natural en el ámbito residencial (Contadores de gas, incl. los de calibración (Código(s) del SA: 902810))</i> Proyecto de resolución “Por la cual se adiciona el Capítulo Décimo Segundo en el Título VI de la Circular Única de la Superintendencia de Industria y Comercio y se reglamenta el control metrológico aplicable a medidores de gas de uso residencial” Mediante esta norma se adiciona el Capítulo Décimo Segundo en el Título VI METROLOGÍA LEGAL de la Circular Única de la Superintendencia de Industria y Comercio, el cual quedará así: CAPÍTULO DÉCIMO SEGUNDO. REGLAMENTO TÉCNICO METROLÓGICO APLICABLE A MEDIDORES DE GAS DE USO RESIDENCIAL. Este reglamento técnico metrológico tiene por objeto prevenir la inducción a error a los consumidores y usuarios en general, y asegurar la calidad de las mediciones que proveen los medidores de gas que se utilizan en la prestación del servicio público domiciliario de gas natural en el ámbito residencial. Para efectos del cumplimiento de este objetivo, se fijan requisitos técnicos, metrológicos y administrativos que deben cumplir los medidores de gas previo a su entrada al mercado, estableciendo el procedimiento de evaluación de la conformidad, definiendo las obligaciones para los productores e importadores, y dictando las disposiciones frente al control metrológico para este tipo de instrumentos de medición.	07/11/2025
G/TBT/N/KEN/1845 08/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-2:2025 Textiles- Household fabrics and articles- Part 2: Bed Sheets and pillowcases This part of the Working Draft African Standard specifies the requirements, sampling and test methods for bedsheets and pillowcases	07/11/2025
G/TBT/N/KEN/1846 08/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-3:2025 Textiles- Household fabrics and articles- Part 3: Towelling and towels This part of working Draft African Standard specifies the requirements, test method and sampling of towelling fabric, and articles in the form of bibs, face cloths, napkins, towels and bathmats.	07/11/2025
G/TBT/N/KEN/1847 08/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-6:2025 Textiles- Household fabrics and articles- Part 6: Kitchen cloth and duster cloth and their articles This part of the Working Draft African Standard specifies the requirements, sampling, and test methods for kitchen and duster fabric and their articles. Note: Dish cloths and kitchen towels are also referred to as “kitchen cloths”.	07/11/2025

G/TBT/N/KEN/1848 08/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-1: Textiles —Household fabrics and articles — Part 1: Basic requirements This part of Draft African Standard covers the basic requirements for household fabrics and made-up articles. This standard shall be used in conjunction with the other parts and not on a standalone basis.	07/11/2025
G/TBT/N/MYS/127 08/09/2025	Malaysia	<i>Others (HS Code: 2202.99.90 00)</i> Draft Amendments of regulations 360D and 360E of The Food Regulations 1985 [P.U. (A) 437/1985] The proposed amendments to regulation 360D (isotonic electrolyte drink) and regulation 360E (isotonic electrolyte drink base) of the Food Regulations 1985 [P.U.(A) 437/1985] are as follows: 1. to amend regulation 360D on the definition, content of carbohydrate and labelling requirement: by replacing the definition “and minerals” with “during or after sustained active physical activity”; by inserting a new subregulation (1A) after subregulation (1) as “prescribed electrolyte means any of the following sodium, potassium, calcium, magnesium or chloride”; by replacing the term of “osmolarity” to “osmolality” and “miliosmol/L” to “miliosmol/kg” relating to the content of isotonic electrolyte drink; by changing the content of the isotonic electrolyte drink to “not less than 20 g/L and not more than 100g/L in total of the glucose, fructose, sucrose, dextrose or maltodextrin but the fructose not more than 50% of carbohydrate”; for the labelling of the isotonic electrolyte drink package: by replacing the word “osmolarity” with “osmolality”; by replacing the phrase “as measured in miliosmol/L” with “in miliosmol/L unit”; by deleting subregulation 360D(5)(b) 2. to amend regulation 360E on the labelling requirement of a package of an isotonic electrolyte drink base: by replacing the term of “osmolarity” with “osmolality”; replacing the phrase “as measured in miliosmol/L” with “in miliosmol/L unit”; by deleting subregulation 360E(2)(c)	07/11/2025
G/TBT/N/SGP/76 08/09/2025	Singapore	<i>S/N</i> Chemical Name & Identity HS 2022 Code HS 2022 Description 1 Compact fluorescent lamps (CFLs) for general lighting purposes that are > 30 watts 85393110 Tubes for compact fluorescent hot cathode lamps excluding ultraviolet lamps 85393130 Compact fluorescent hot cathode lamps with built-in ballast excluding ultraviolet lamps 85393190 Other discharge fluorescent hot cathode lamps excluding ultraviolet lamps 85393910 Other tubes for compact discharge fluorescent lamps 85393990 Other discharge lamps excluding ultraviolet lamps 2 Compact fluorescent lamps with a non-integrated ballast (CFL.ni) for general lighting purposes that are ≤ 30 watts with a mercury content not exceeding 5 mg per lamp burner 85393110 Tubes for compact fluorescent hot cathode lamps excluding ultraviolet lamps 85393190 Other discharge fluorescent hot cathode lamps excluding ultraviolet lamps 85393910 Other tubes for compact discharge fluorescent lamps 85393990 Other discharge lamps excluding ultraviolet lamps 3 Linear fluorescent lamps (LFLs) for general lighting purposes: Halophosphate phosphor ≤ 40 watts with a mercury content not exceeding 10 mg per lamp Halophosphate phosphor > 40 watts 85393120 Other straight tubes for other fluorescent hot cathode lamps	07/11/2025

excluding ultraviolet lamps4Halophosphate phosphor non-linear fluorescent lamps (NFLs) (e.g., U-bend and circular) for general lighting purposes85393190Other discharge fluorescent hot cathode lamps excluding ultraviolet lamps85393990Other discharge lamps excluding ultraviolet lamps5Triband phosphor non-linear fluorescent lamps (NFLs) (e.g., U-bend and circular) for general lighting purposes85393190Other discharge fluorescent hot cathode lamps excluding ultraviolet lamps85393990Other discharge lamps excluding ultraviolet lamps6Linear fluorescent lamps (LFLs) for general lighting purposes:Triband phosphor Triband phosphor ≥ 60 watts with a mercury content not exceeding 5mg per lampTriband phosphor ≥ 60 watts with a mercury content exceeding 5mg per lamp85393120Other straight tubes for other fluorescent hot cathode lamps excluding ultraviolet lamps

Proposed Control of 6 Mercury-Added Products Adopted under the Minamata Convention, (4 page(s), in English)

Singapore is a Party to the Minamata Convention. At the fifth Conference of Parties (COP-5) to the Minamata Convention in October 2023, 6 new mercury-added products were approved by the Parties for phasing out by 1 January 2027 (4 products) and 1 January 2028 (2 products). Singapore is proposing to control these 6 mercury-added products as Hazardous Substance under the Environmental Protection and Management Act (EPMA) to fulfil our Minamata Convention obligations. The 6 mercury-added products can be found under Section 4 above. Mercury-added products listed as S/N 1-4 are planned for phasing out by 1 January 2027 while S/N 5-6 are planned for phasing out by 1 January 2028. There is no change to the other existing regulatory requirements in the EPMA. Once the regulation takes effect, the import, export, and manufacture of the 6 mercury-added products will not be allowed.

[G/TBT/N/ZAF/265](#)
08/09/2025

South
Africa

Adventure TourismTourism and related servicesEvent sustainability management systemRecreational diving services 12/10/2025

Recreational diving services — Requirements for introductory programmes to scuba diving
Tourism and related services — Requirements and recommendations for beach operation
Tourism and related services — Yacht harbours — Part 1: Minimum requirements for basic service level harbours
Tourism and related services — Yacht harbours — Part 2: Minimum requirements for intermediate service level harbours
Tourism and related services — Yacht harbours — Part 3: Minimum requirements for high service level harbours
Tourism and related services — Visits to industrial, natural, cultural and historical sites — Requirements and recommendations
Tourism and related services — Wellness spa — Service requirements
Tourism and related services — Thalassotherapy — Service requirements
Tourism services — Hotels and other types of tourism accommodation — Vocabulary
Event sustainability management systems — Requirements with guidance for use
Adventure tourism — Good practices for sustainability — Requirements and recommendations
Adventure tourism — Leaders — Personnel competence
Tourism and related services —

		Accessible tourism for all — Requirements and recommendations Tourism and related services — Medical tourism — Service requirements Tourism and related services — Bareboat charter — Supplementary charter services and experiences These are ISO Draft African Regional Standards for tourism and related services standards for comments which will be taken to final Draft African standards (FDARS).	
G/TBT/N/TPKM/571 09/09/2025	Chinese Taipei	<i>Drinking Water Dispenser (CCCN 8418.69.90.00.9A, 8516.10.00.00.9D)</i> Draft Announcement for Amendment to the Requirements on Minimum Energy Performance Standard and Energy Efficiency Rating Labelling and Inspection for Chilled-Warm-Hot Drinking Water Dispensers With a view to enhancing energy-use efficiency, the Energy Administration, Ministry of Economic Affairs proposes to amend the Minimum Energy Performance Standard and energy efficiency rating labelling requirements for chilled-warm-hot drinking water dispensers based on CNS 3910.	08/11/2025
G/TBT/N/UGA/2197 09/09/2025	Uganda	<i>Electric ovens, cookers, cooking plates and boiling rings, electric grillers and roasters, for domestic use (excl. space-heating stoves and microwave ovens) (HS code(s): 851660)</i> <i>Electric ovens, cookers, cooking plates and boiling rings, electric grillers and roasters, for domestic use (excl. space-heating stoves and microwave ovens) (HS code(s): 851660); Cooking ranges, working tables, ovens and similar appliances (ICS code(s): 97.040.20); Infrared hob</i> DUS 2519:2025 Electric cooking — Infrared hob — Specification, First Edition This Draft Uganda Standard specifies requirements and test methods for electric infrared hobs for household use suitable for operating at a maximum voltage of 250 V, single phase Alternating Current (AC).	08/11/2025
G/TBT/N/CHL/749 10/09/2025	Chile	<i>Madera laminada encolada</i> NCh2165:2023 - Madera - Madera laminada encolada - Propiedades físicas y mecánicas de especies coníferas. Esta norma establece el procedimiento para determinar las tensiones admisibles que se deben asignar a la madera laminada encolada, a la madera maciza encolada y a la madera laminada con empalmes por unión macrodentada. Se consideran las tensiones de flexión, tracción y compresión paralela a la fibra, módulo de elasticidad en flexión, cizalle horizontal, tracción y compresión normal a la fibra.	09/11/2025
G/TBT/N/CHL/750 10/09/2025	Chile	<i>Madera laminada encolada</i> Norma Chilena NCh2150:2022 - Madera laminada encolada - Clasificación mecánica y visual de madera aserrada de pino radiata. Esta norma establece una clasificación para la madera aserrada de pino radiata destinada a la fabricación de elementos estructurales laminados encolados. Esta norma entrega dos métodos alternativos de clasificación: a) mecánico, basado en la determinación experimental del módulo de elasticidad de cada pieza de madera aserrada; b) visual, basado en una inspección ocular de los defectos que aparecen en cada pieza. Esta norma se aplica a madera	09/11/2025

aserrada de pino radiata con un contenido de humedad no mayor que 15%.

[G/TBT/N/CHL/751](#)
10/09/2025

Chile

Madera dimensionada y madera cepillada

09/11/2025

Norma Chilena NCh178:2020 Materiales de construcción - Madera dimensionada y madera cepillada - Pino radiata - Clasificación por aspecto.

Esta norma establece la clasificación por aspecto de la madera dimensionada y madera cepillada de pino radiata en conformidad con los defectos que se registran en el momento de efectuar la clasificación. Esta norma se aplica a la madera dimensionada y la madera cepillada de pino radiata, con un contenido de humedad máximo menor a 20%. Esta norma aplica a la madera dimensionada y la madera cepillada destinada a usos generales en la terminación de edificaciones como guardapolvos, tablas para pisos, tablas para cielos falsos, recubrimientos de tabiquería, ebanistería, otros. Esta norma no se aplica para clasificar madera destinada a usos específicos como madera estructural y madera estructural para construcción. Para estos usos se deben emplear las normas específicas correspondientes. Esta norma no aplica para la clasificación de defectos que ocurran luego del proceso de maquinado de la pieza de madera; por lo tanto, excluye aquellos defectos que pudieren ocurrir en la manipulación, transporte, almacenaje y otros que afectan a la pieza de madera fuera de la planta de fabricación.

[G/TBT/N/CHL/752](#)
10/09/2025

Chile

Madera contrachapada estructural

09/11/2025

Norma Chilena NCh3617:2022 Madera contrachapada estructural - Requisitos y ensayos.

Esta Norma establece los requerimientos para los principales tipos y clases de madera contrachapada estructural y provee una base para un entendimiento común entre productores, distribuidores, y usuarios del producto. Esta Norma cubre las especies de madera, clasificación de las chapas, uniones con adhesivos, construcción de los tableros y mano de obra, dimensiones y tolerancias, marcado, contenido de humedad, y embalaje de la madera contrachapada estructural destinada para usos en construcción e industriales. Esta Norma incluye los métodos de prueba para determinar el cumplimiento y un glosario de términos comerciales y definiciones. Se provee un programa de certificación de la calidad a partir del cual las agencias de pruebas acreditadas inspeccionan, muestrean y ensayan productos identificados como conforme a esta Norma. Se provee información del agrupamiento de especies en el Apéndice A. Se provee información sobre prácticas de reinspección en el Apéndice B. Se provee información sobre el mantenimiento, historia, y la edición vigente de la Norma en el Apéndice C. Se proveen recomendaciones para el etiquetado del grosor en el Apéndice D. Se provee información sobre regulaciones de etiquetación del Manual 130 de la NIST en el Apéndice E. Se provee información sobre los atributos ambientales de la madera contrachapada estructural en el Apéndice F y en el Apéndice G se provee información sobre emisiones de formaldehído. Esta Norma incorpora el Sistema Internacional de Unidades (SI) así como las unidades de medición comunes en los Estados Unidos. Cuando se convierten las unidades usuales de los Estados Unidos y la ubicación exacta no es relevante, tal como en el espaciado de clavos, se hacen conversiones aproximadas

a unidades SI para producir números más fácilmente reconocibles. En aspectos críticos, tales como grosor de los tableros, se hacen conversiones más precisas a unidades SI. Para las unidades nominales usuales en el sistema inglés, se dan las dimensiones reales en unidades SI.

[G/TBT/N/CHL/753](#)
10/09/2025

Chile

Hormigón con fibras

09/11/2025

Norma Chilena NCh3624:2022 Hormigón con fibras - Determinación de la resistencia a la tracción por flexión (límite de proporcionalidad (LOP), resistencia residual) - Método de ensayo.

Esta norma especifica un método de determinación de la resistencia a la tracción por flexión del hormigón con fibras sobre probetas moldeadas. El método permite determinar el límite de proporcionalidad (LOP) y un conjunto de valores de la resistencia residual a la tracción por flexión. Este método de ensayo está previsto para fibras de una longitud máxima de 60 mm. Dicho método puede aplicarse igualmente para una combinación de distintos tipos de fibras.

[G/TBT/N/CHL/754](#)
10/09/2025

Chile

Tableros de uso estructural a base de madera

09/11/2025

Norma Chilena NCh3618:2022 - Tableros de uso estructural a base de madera - Requisitos y ensayos

Esta norma establece criterios estructurales para evaluar la aceptabilidad de los tableros de uso estructural a base de madera para revestimiento de construcción y aplicaciones de piso sencillo y proporciona una base para el entendimiento común entre los productores, distribuidores y los usuarios de estos productos. La norma no aborda temas no estructurales tales como resistencia a los agentes biológicos. Las aplicaciones que no sean revestimiento de construcción y de piso sencillo pueden requerir consideraciones de ingeniería adicionales que no están cubiertas por esta norma. Esta norma establece los requisitos de desempeño, desempeño de adherencia, construcción del tablero o tablero y mano de obra, dimensiones y tolerancias, marcaje y contenido de humedad de los tableros de uso estructural. Esta norma incluye métodos de ensayos para determinar el cumplimiento de normas y un glosario de definiciones y términos comerciales. Se proporciona un programa de certificación de la calidad, siempre que existan organismos calificados de inspección, muestreo y ensayo de productos para calificación acreditados bajo esta norma. Información sobre prácticas de la industria para la reinspección se proporciona en Anexo A. Un diagrama de flujo que representa el proceso de calificación se proporciona en Anexo B. En Anexo C se recomienda el etiquetado para el espesor. Información sobre la normativa de etiquetado del Manual 130 de la NIST se proporciona en Anexo D y en Anexo E se proporciona información sobre las emisiones de formaldehído. Esta norma incorpora el Sistema Internacional de Unidades (SI), así como unidades tradicionales de medida. Los valores indicados en unidades SI representan el criterio estándar. Los valores dados en paréntesis son únicamente para información. En la conversión de unidades habituales donde la colocación exacta no es un problema, como en el espaciamiento de clavos, las conversiones aproximadas a unidades SI se hacen redondeando los valores a números fácilmente reconocibles. En asuntos críticos, tales como el espesor del tablero, se efectúan conversiones exactas a unidades SI. Para las

unidades nominales habituales, se dan las dimensiones reales en unidades SI.

G/TBT/N/CHL/755 10/09/2025	Chile	<i>Adoquines de hormigón</i> Norma Chilena NCh3731/2:2025 - Adoquines de hormigón - Parte 2: Métodos de ensayo. Esta norma establece los métodos de ensayo de absorción total de agua, resistencia a la compresión, resistencia al desgaste por abrasión para adoquines prefabricados de hormigón mono capa o bicapa, previstos para uso en veredas y calzadas como para pavimentos de ciclo vías, estacionamientos, áreas industriales (incluyendo almacenes y puertos), aeropuertos, terminales de buses y estaciones de servicio, entre otros. Esta norma no trata los ensayos para las características de visibilidad, podo táctiles, ni los adoquines permeables.	09/11/2025
G/TBT/N/IND/415 10/09/2025	India	<i>HS 8517</i> Notification for revision of GR, standard document on" SIGNALLING TRANSFER POINT (S.T.P) TEC 58120:2015 To revise/update the Standard Document (TEC 58120:2015) SIGNALLING TRANSFER POINT (S.T.P).	09/11/2025
G/TBT/N/ISR/1403 10/09/2025	Israel	<i>Flexible sheet elements for room heating (ICS code(s): 13.120; 97.100.10)</i> SI 900 Part 2.96 - Household and similar electrical appliances - Safety: Particular requirements for flexible sheet elements for room heating The requirements of the existing Israel Standard, SI 900 part 2.96, dealing with flexible sheet elements for room heating, shall be declared mandatory. After the declaration, all sections will be compulsory, except Section 203, which deals with noise levels. This declaration aligns with the objective of mandatory standardization to protect public health.This standard adopts the International Standard IEC 60335-2-96 - Edition 2.0:2019-05, with a few necessary national deviations that are noted in the standard's Hebrew section.	09/11/2025
G/TBT/N/ISR/1404 10/09/2025	Israel	<i>Rotating electrical machines</i> SI 60034 Part 1 - Rotating electrical machines: Rating and performance Revision of the Mandatory Standard SI 60034, part 1, dealing with rotating electrical machines. This proposed Standard adopts the International Standard IEC 60034-1 - Edition 14.0: 2022-02.The major differences between the old standard and this proposed revision are due to the new edition of the adopted standard.Only sections that apply to asynchronous cage motors, except Section 201 of the proposed standard, will be mandatory;Both the old standard and the new proposed standard will apply from the date of entry into force of this revision for a transition period of 3 years. During this time, products are required to comply with either the old or the new standard.	09/11/2025
G/TBT/N/ISR/1405 10/09/2025	Israel	<i>Electrical appliances for skin exposure to optical radiation (ICS code(s): 13.120; 97.170)</i> SI 60335 Part 2.27 - Household and similar electrical appliances – Safety: Particular requirements for appliances for skin exposure to optical radiation	09/11/2025

All requirements of the existing Israel Standard, SI 60335 part 2.27, dealing with electrical appliances for skin exposure to optical radiation, shall be declared mandatory. This declaration aligns with the objective of mandatory standardization to protect public health. This standard adopts the International Standard IEC 60335-2-27 – Edition 6.0: 2019-05, with a few necessary national deviations that are noted in the standard's Hebrew section.

G/TBT/N/KEN/1849 10/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-5:2025 Textiles – Household fabrics and articles – Part 5: Bedspread fabrics and bedspreads This part of Draft African Standard covers the specific requirements of fabrics and articles in the form of bedspreads. This standard is not applicable to Bedsheets, blankets and duvets.	09/11/2025
G/TBT/N/KEN/1850 10/09/2025	Kenya	<i>Textile fabrics (ICS code(s): 59.080.30)</i> DARS 1573-4:2025 Textiles- Household fabrics and articles— Part 4: Curtains This part of the working draft African standard specifies the requirements for curtain and curtain lining fabrics.	09/11/2025
G/TBT/N/PHL/347 10/09/2025	Philippines	<i>Cement. Gypsum. Lime. Mortar (ICS code(s): 91.100.10)</i> DTI Memorandum Circular “Supplemental Guidelines for the Implementation of DAO 17-06, Series of 2017” This Memorandum Circular aims to provide amendatory and suppletory guidelines for DTI Department Administrative Order (DAO) No. 17-06, Series of 2017, entitled “The New Rules and Regulations Concerning the Mandatory Certification of Portland Cement and Blended Hydraulic Cement with Pozzolan”.	04/11/2025